

Product Model: ES-T1(DIM)			
Supply Voltage	DC 12-24V	Output Power	<96W(8A*1CH)
Gross Weight	79g	Net Weight	57g
Product Size	L89*W59*H35mm		
Packing Size	L93*W63*H63mm		



Product Model: ES-T2(DIM)			
Supply Voltage	DC 12-24V	Output Power	<72W(6A*1CH)
Gross Weight	46g	Net Weight	36g
Product Size	L63*W33*H34mm		
Packing Size	L90*W60*H40mm		



Product Model: ES-RF-T1(DIM)			
Supply Voltage	DC 5-24V	Output Power	<96W(8A*1CH)
Gross Weight	102g	Net Weight	75g
Product Size	L115*W56*H34mm		
Packing Size	L120*W84*H45mm		



Product Model: ES-DT21(DIM)			
Supply Voltage	DC 12-24V	Output Power	<96W(4A*2CH)
Gross Weight	/	Net Weight	58g
Product Size	L85*W45*H23mm		
Packing Size	/		



Product Model: ES-DT23(DIM)			
Supply Voltage	DC 12-24V	Output Power	<216W(6A*2CH)
Gross Weight	202g	Net Weight	174g
Product Size	L83*W79*H32mm		
Packing Size	L120*W84*H45mm		



Product Model: ES-4(DIM)			
Supply Voltage	DC 5-24V	Output Current	<6A
Single Gross Weight	50g	Single Net Weight	36g
Controller Size	/	Remote Control Size	/
Output Power	<72W		



Product Model: ES-DT22(DIM)			
Supply Voltage	DC 5-24V	Output Current	<96W(8A*1CH)
Gross Weight	102g	Net Weight	75g
Product Size	L115*W56*H34mm		
Packing Size	L120*W84*H45mm		



Product Model: D03 Knob Dimmer			
Supply Voltage	DC 12-24V	Standby Power	<1W
Max. Current	30A	Net Weight	125g
Wiring Type	Common anode		
Output Channel	30A*1 Channel		



Product Model: D01 Knob Dimmer			
Supply Voltage	DC 12-24V	Standby Power	<1W
Max. Current	30A	Net Weight	125g
Wiring Type	Common anode		
Output Channel	30A*1 Channel		



Product Model: 3-Key RGB MINI Controller			
Supply Voltage	12-24V 5V Custom	Standby Power	<1W
Max. Load Current	<6A	Net Weight	4.7g
Operating Temperature	-20~60°C	Output	Single Color
Wire Length	95mm	Product Size	L42*W12*H3mm



Product Model: 3-Key Single Color MINI Controller			
Supply Voltage	12-24V 5V Custom	Standby Power	<1W
Max. Load Current	<6A	Net Weight	13.5g
Operating Temperature	-20~60°C	Output	Single Color
Wire Length	115mm	Product Size	L42*W12*H3mm



Product Model: ES-IR24(DIM)			
Supply Voltage	DC 12-24V	Output Power	<72W(2A*3CH)
Gross Weight	60g	Net Weight	50g
Product Size	L61*W35*H22mm		
Packing Size	L90*W60*H40mm		



Product Model: ES-IR24S(RGB)			
Supply Voltage	DC 12-24V	Output Power	<72W(2A*3CH)
Gross Weight	60g	Net Weight	50g
Product Size	L61*W35*H22mm		
Packing Size	L90*W60*H40mm		



Product Model: ES-IR44S(RGB)			
Supply Voltage	DC 12-24V	Output Power	<72W(2A*3CH)
Gross Weight	60g	Net Weight	50g
Product Size	L61*W35*H22mm		
Packing Size	L90*W60*H40mm		



Product Model: ES-IR40(RGBW)			
Supply Voltage	DC 12-24V	Output Power	<96W(4A*3CH)
Gross Weight	60g	Net Weight	50g
Product Size	L61*W35*H22mm		
Packing Size	L90*W60*H40mm		



Product Model: ES-CTO1(DIM)			
Supply Voltage	DC 12-24V	Output Power	<48W(2A*3CH)
Gross Weight	60g	Net Weight	50g
Product Size	L61*W35*H22mm		
Packing Size	L90*W60*H40mm		



Product Model: ES-IRMUSIC-02(RGB)			
Supply Voltage	DC 12-24V	Output Power	<72W(2A*3CH)
Gross Weight	60g	Net Weight	50g
Product Size	L61*W35*H22mm		
Packing Size	L90*W60*H40mm		

SENFEY LED LIGHTING SOLUTIONS
Shenzhen Senfey Lighting Technology Co., Ltd.



Product Model: ES-IR24			
Supply Voltage	DC 12-24V	Output Power	<144W(4A*3CH)
Gross Weight	166g	Net Weight	133g
Product Size	L130*W65*H25mm		
Packing Size	L135*W80*H55mm		



Product Model: ES-IR44			
Supply Voltage	DC 12-24V	Output Power	<144W(4A*3CH)
Gross Weight	176g	Net Weight	143g
Product Size	L130*W65*H25mm		
Packing Size	L135*W80*H55mm		



Product Model: IR24-Button Infrared MIN Controller			
Supply Voltage	12-24V 5V Custom	Standby Power	<1W
Max. Load Current	2A per channel	Net Weight	30.5g
Operating Temperature	-20~60°C	Infrared Range	5-8m
DC Cable Length	/	Controller Dimension	L85*W42*H7mm



Product Model: IR44-Button Infrared MIN Controller			
Supply Voltage	12-24V 5V Custom	Standby Power	<1W
Max. Load Current	2A per channel	Net Weight	39.4g
Operating Temperature	-20~60°C	Infrared Range	5-8m
DC Cable Length	115mm	Controller Dimension	L125*W56*H7mm



Product Model: ES-RFMINI-01(DIM)			
Supply Voltage	DC 5-24V	Output Power	<72W(6A*1CH)
Gross Weight	40g	Net Weight	35g
Product Size	L40*W12*H5mm		
Antistatic Bag	L128*W90mm		



Product Model: ES-RFMINI-03(RGB)			
Supply Voltage	DC 5-24V	Output Power	<72W(2A*3CH)
Gross Weight	40g	Net Weight	35g
Product Size	L40*W12*H5mm		
Antistatic Bag	L128*W90mm		



Product Model: ES-RFMINI-05(RGB)			
Supply Voltage	DC 5-24V	Output Power	<72W(2A*3CH)
Gross Weight	40g	Net Weight	35g
Product Size	L40*W12*H5mm		
Antistatic Bag	L128*W90mm		



Product Model: ES-RF360W-02			
Supply Voltage	DC 5-24V	Output Power	<360W(10A*3CH)
Gross Weight	230g	Net Weight	200g
Product Size	L110*W90*H25mm		
Package Size	L135*W80*H55mm		



Product Model: ES-TL01(DIM)			
Supply Voltage	DC 12-24V	Output Power	<216W(6A*1CH)
Gross Weight	117g	Net Weight	91g
Product Size	L85*W45*H23mm		
Package Size	L135*W80*H55mm		



Product Model: ES-RF-M1(DIM)			
Supply Voltage	DC 5-24V	Operation Temp.	-20~60°C
Gross Weight	32g	Net Weight	30g
Remote Size	L85*W39*H6mm		
Receiver Size	L52*W22*H13mm		

SENFEY LED LIGHTING SOLUTIONS
Shenzhen Senfey Lighting Technology Co., Ltd.



Product Model: ES-RF-M2(CCT)			
Supply Voltage	DC 5-24V	Operation Temp.	-20~60°C
Gross Weight	32g	Net Weight	30g
Remote Size	L85*W39*H6mm		
Receiver Size	L52*W22*H13mm		



Product Model: ES-RF-M3(RGB)			
Supply Voltage	DC 5-24V	Operation Temp.	-20~60°C
Gross Weight	42g	Net Weight	40g
Remote Size	L85*W39*H6mm		
Receiver Size	L52*W22*H13mm		



Product Model: ES-RF-M4(RGBW)			
Supply Voltage	DC 5-24V	Operation Temp.	<144W(10A*3CH)
Gross Weight	42g	Net Weight	40g
Remote Size	L85*W39*H6mm		
Receiver Size	L52*W22*H13mm		



Product Model: ES-RF-M4(RGB+CCT)			
Supply Voltage	DC 5-24V	Operation Temp.	-20~60°C
Gross Weight	42g	Net Weight	40g
Remote Size	L85*W39*H6mm		
Receiver Size	L52*W22*H13mm		



Product Model: ES-RF-M5(RGB)			
Supply Voltage	DC 5-24V	Operation Temp.	-20~60°C
Gross Weight	42g	Net Weight	40g
Remote Size	L85*W39*H6mm		
Receiver Size	L52*W22*H13mm		



Product Model: ES-RF-M6(RGBW)			
Supply Voltage	DC 5-24V	Operation Temp.	-20~60°C
Gross Weight	42g	Net Weight	40g
Remote Size	L85*W50*H6mm		
Receiver Size	L52*W22*H13mm		



Product Model: ES-RFL20			
Supply Voltage	DC 12-24V	Output Power	<144W(4A*3CH)
Gross Weight	166g	Net Weight	133g
Product Size	L130*W65*H25mm		
Package Size	L135*W80*H55mm		



Product Model: ES-RFL24			
Supply Voltage	DC 12-24V	Output Power	<144W(4A*3CH)
Gross Weight	166g	Net Weight	133g
Product Size	L130*W65*H25mm		
Package Size	L135*W80*H55mm		



Product Model: ES-RFL28			
Supply Voltage	DC 12-24V	Output Power	<144W(4A*3CH)
Gross Weight	166g	Net Weight	133g
Product Size	L130*W65*H25mm		
Package Size	L135*W80*H55mm		



Product Model: ES-RFL44			
Supply Voltage	DC 12-24V	Output Power	<144W(4A*3CH)
Gross Weight	176g	Net Weight	143g
Product Size	L130*W65*H25mm		
Package Size	L135*W80*H55mm		



Product Model: ES-RFL4			
Supply Voltage	DC 12-24V	Output Power	<144W(4A*3CH)
Gross Weight	176g	Net Weight	143g
Product Size	L130*W65*H25mm		
Package Size	L135*W80*H55mm		




Product Model: ES-RFT8-360W			
Supply Voltage	DC 12-24V	Output Power	<144W(10A*3CH)
Gross Weight	261g	Net Weight	228g
Product Size	L121*W75*H25mm		
Package Size	L135*W80*H55mm		

Shenzhen Senfey Lighting Technology Co., Ltd.



Product Model: ES-TOUCH-MB05(DIM)			
Supply Voltage	DC 12-24V	Output Power	<144W(4A*3CH)
Net Weight	128g	Gross Weight	187g
Product Size	L86*W86*H36mm	Package Size	L112*W104*H54mm
Note	Tempered glass panel, stepless touch dimming		



Product Model: ES-TOUCH-MB06(CCT)			
Supply Voltage	DC 12-24V	Output Power	<96W(4A*3CH)
Net Weight	128g	Gross Weight	187g
Product Size	L86*W86*H36mm	Package Size	L112*W104*H54mm
Note	Tempered glass panel, stepless touch dimming		



Product Model: ES-TOUCH-MB07(RGB)			
Supply Voltage	DC 12-24V	Output Power	<144W(4A*3CH)
Net Weight	128g	Gross Weight	187g
Product Size	L86*W86*H36mm	Package Size	L112*W104*H54mm
Note	Tempered glass panel, stepless touch dimming		



Product Model: ES-TOUCH-MB08(RGBW)			
Supply Voltage	DC 12-24V	Output Power	<192W(4A*4CH)
Net Weight	128g	Gross Weight	187g
Product Size	L86*W86*H36mm	Package Size	L112*W104*H54mm
Note	Tempered glass panel, stepless touch dimming		



Product Model: ES-2.4G-04(RGB)			
Supply Voltage	DC 12-24V	Controller Weight	46g
Output Power	<216W(6A*3CH)	Receiver Weight	43g
Control Frequency	RF2.4G	Gross Weight	112g
Color Box Size	128*128*27mm	Controller Size	85*45*23mm
Remote Control Size	110*53*21mm		



Product Model: ES-2.4G-05(RGBW)			
Supply Voltage	DC 12-24V	Controller Weight	46g
Output Power	<288W(6A*4CH)	Receiver Weight	43g
Control Frequency	RF2.4G	Gross Weight	112g
Color Box Size	128*128*27mm	Controller Size	85*45*23mm
Remote Control Size	110*53*21mm		



Product Model: ES-RFTC-01(DIM)			
Supply Voltage	DC 12-24V	Output Power	<216W(6A*3CH)
Gross Weight	213g	Net Weight	367g
Product Size	L83*W79*H32mm		
Package Size	L204*W133*H48mm		



Product Model: ES-RFTC-02(CCT)			
Supply Voltage	DC 12-24V	Output Power	<144W(6A*3CH)
Gross Weight	213g	Net Weight	367g
Product Size	L83*W79*H32mm		
Package Size	L204*W133*H48mm		



Product Model: ES-RFTC-03(RGB)			
Supply Voltage	DC 12-24V	Output Power	<216W(6A*3CH)
Gross Weight	213g	Net Weight	367g
Product Size	L83*W79*H32mm		
Package Size	L204*W133*H48mm		



Product Model: ES-TL00(RGB)			
Supply Voltage	DC 12-24V	Output Power	<216W(6A*3CH)
Gross Weight	117g	Net Weight	91g
Product Size	L85*W45*H23mm		
Package Size	L135*W80*H55mm		



Product Model: ES-SYNC-S01(DIM)			
Supply Voltage	DC 12-24V	Output Power	<300W(25A)
Gross Weight	250g	Net Weight	340g
Product Size	L127*W41*H32mm		
Package Size	L147*W84*H74mm		



Product Model: ES-SYNC-S03(RGB)			
Supply Voltage	DC 12-24V	Output Power	<288W
Gross Weight	227g	Net Weight	379g
Product Size	L91*W88*H24mm		
Package Size	L108*W108*H50mm		



Product Model: ES-RFXTC-01(DIM)			
Supply Voltage	DC 5-24V	Output Current	10A*3CH
Gross Weight	190g	Net Weight	145g
Controller Size	L85*W62*H20mm	Remote Control Size	L113*W56*H22.5mm
Packing Size	L163*W132*H33mm		



Product Model: ES-RFXTC-02(CCT)			
Supply Voltage	DC 5-24V	Output Current	15A*2CH
Gross Weight	190g	Net Weight	145g
Controller Size	L85*W60*H20mm	Remote Control Size	L113*W56*H22.5mm
Packing Size	L163*W132*H33mm		



Product Model: ES-RFXTC-03(RGB)			
Supply Voltage	DC 5-24V	Output Current	10A*3CH
Gross Weight	190g	Net Weight	145g
Controller Size	L85*W62*H20mm	Remote Control Size	L113*W56*H22.5mm
Packing Size	L163*W132*H33mm		



Product Model: ES-RFXTC-04(RGBW)			
Supply Voltage	DC 5-24V	Output Current	10A*4CH
Gross Weight	195g	Net Weight	155g
Controller Size	L85*W62*H20mm	Remote Control Size	L113*W56*H22.5mm
Packing Size	L163*W132*H33mm		



Product Model: ES-RFXTC-05(RGB+ CCT)			
Supply Voltage	DC 5-24V	Output Current	10A*5CH
Gross Weight	200g	Net Weight	160g
Controller Size	L103*W62*H20mm	Remote Control Size	L113*W56*H22.5mm
Packing Size	L163*W132*H33mm		



Product Model: ES-8601(DIM)			
Supply Voltage	DC 5-24V	Output Current	15A*2CH
Gross Weight	145g	Net Weight	140g
Controller Size	L85*W62*H20mm	Remote Control Size	L86*W86*H12mm
Packing Size	/		



Product Model: ES-8602(CCT)			
Supply Voltage	DC 5-24V	Output Current	5A*2CH
Gross Weight	145g	Net Weight	140g
Controller Size	L85*W62*H20mm	Remote Control Size	L86*W86*H12mm
Packing Size	/		



Product Model: ES-8603(RGB)			
Supply Voltage	DC 5-24V	Output Current	10A*3CH
Gross Weight	145g	Net Weight	140g
Controller Size	L85*W60*H20mm	Remote Control Size	L86*W86*H12mm
Packing Size	/		



Product Model: ES-8604(RGB)			
Supply Voltage	DC 5-24V	Output Current	10A*4CH
Gross Weight	180g	Net Weight	170g
Controller Size	L103*W62*H22mm	Remote Control Size	L86*W86*H12mm
Packing Size	/		



Product Model: ES-8605(RGB+CCT)			
Supply Voltage	DC 5-24V	Output Current	10A*5CH
Gross Weight	180g	Net Weight	170g
Controller Size	L103*W62*H22mm	Remote Control Size	L86*W86*H12mm
Packing Size	/		



Product Model: ES-DMX-03			
Supply Voltage	DC 12-24V	Output Power	<96W(8A*1CH)
Product Size	L53*W24*H11mm	Compatible Systems	Android4.0/IOS9.0
Control Function	Mobile APP control operation, one-to-many control		
Voice Control	1.Alexa 2.Google Asst 3.Tmall Elf 4.IFTTT 5.Dingdong 6.Xiaodu		



Product Model: ES-BWCE-RGB			
Supply Voltage	DC 5-24V	Output Power	<100W(4A*3CH)
Product Size	L53*W24*H11mm	Compatible Systems	Android4.0/IOS9.0
Control Function	Mobile APP control operation, one-to-many control		
Voice Control	1.Alexa 2.Google Asst 3.Tmall Elf 4.IFTTT 5.Dingdong 6.Xiaodu		



Product Model: ES-BWCE-RGBW			
Supply Voltage	DC 5-24V	Output Power	<100W(4A*4CH)
Product Size	L53*W24*H11mm	Compatible Systems	Android4.0/IOS9.0
Control Function	Mobile APP control operation, one-to-many control		
Voice Control	1.Alexa 2.Google Asst 3.Tmall Elf 4.IFTTT 5.Dingdong 6.Xiaodu		



Product Model: ES-BWCE02-RGB-R24A1			
Supply Voltage	DC 12-24V	Output Power	<100W(4A*3CH)
Product Size	L53*W24*H11mm	Compatible Systems	Android4.0/IOS9.0
Control Function	Mobile APP control operation, one-to-many control		
Voice Control	1.Alexa 2.Google Asst 3.Tmall Elf 4.IFTTT 5.Dingdong 6.Xiaodu		



Product Model: ES-BWCE02-RGBW-R24A1			
Supply Voltage	DC 12-24V	Output Power	<100W(4A*4CH)
Product Size	L53*W24*H11mm	Compatible Systems	Android4.0/IOS9.0
Control Function	Mobile APP control operation, one-to-many control		
Voice Control	1.Alexa 2.Google Asst 3.Tmall Elf 4.IFTTT 5.Dingdong 6.Xiaodu		



Product Model: ES-WFXB-IR24(RGB)			
Supply Voltage	DC 12-24V	Output Power	<100W(4A*3CH)
Product Size	L61*W35*H22mm	Compatible Systems	Android4.0/IOS9.0
Control Function	Mobile APP control operation, one-to-many control		
Voice Control	1.Alexa 2.Google Asst 3.Tmall Elf 4.IFTTT 5.Dingdong 6.Xiaodu		



Product Model: ES-WFXB-IR24S(RGB)			
Supply Voltage	DC 12-24V	Output Power	<100W(4A*3CH)
Product Size	L61*W35*H14mm	Compatible Systems	Android4.0/IOS9.0
Control Function	Mobile APP control operation, one-to-many control		
Voice Control	1.Alexa 2.Google Asst 3.Tmall Elf 4.IFTTT 5.Dingdong 6.Xiaodu		



Product Model: ES-BWCDS-HCP1-R28A4			
Supply Voltage	DC 12-24V	Output Power	/
Product Size	/	Compatible Systems	Android4.0/IOS9.0
Control Function	Mobile APP control operation, one-to-many control		
Voice Control	1.Alexa 2.Google Asst 3.Tmall Elf 4.IFTTT 5.Dingdong 6.Xiaodu		



Product Model: ES-BWCAS-HCP1-R28A4			
Supply Voltage	DC 12-24V	Output Power	/
Product Size	/	Compatible Systems	Android4.0/IOS9.0
Control Function	Mobile APP control operation, one-to-many control		
Voice Control	1.Alexa 2.Google Asst 3.Tmall Elf 4.IFTTT 5.Dingdong 6.Xiaodu		



Product Model: ES-BWCAS-HCP1-R28E1			
Supply Voltage	DC 12-24V	Output Power	/
Product Size	/	Compatible Systems	Android4.0/IOS9.0
Control Function	Mobile APP control operation, one-to-many control		
Voice Control	1.Alexa 2.Google Asst 3.Tmall Elf 4.IFTTT 5.Dingdong 6.Xiaodu		



Product Model: ES-S100-NO-W1(DIM)			
Supply Voltage	DC 12-24V	Output Power	<120W
Product Size	L100*W47*H23mm	Package Size	L102*W49*H25mm
Features	Timing function + DIY mode + Music mode		
Compatible Systems	Android4.0/IOS9.0		
Voice Control	1.Alexa 2.Google Asst 3.Tmall Elf 4.IFTTT 5.Dingdong 6.Xiaodu		



Product Model: ES-S100-NO-W2(CCT)			
Supply Voltage	DC 12-24V	Output Power	<120W
Product Size	L100*W47*H23mm	Package Size	L102*W49*H25mm
Features	Timing function + DIY mode + Music mode		
Compatible Systems	Android4.0/IOS9.0		
Voice Control	1.Alexa 2.Google Asst 3.Tmall Elf 4.IFTTT 5.Dingdong 6.Xiaodu		



Product Model: ES-S100-NO-W3(RGB)			
Supply Voltage	DC 12-24V	Output Power	<120W
Product Size	L100*W47*H23mm	Package Size	L102*W49*H25mm
Features	Timing function + DIY mode + Music mode		
Compatible Systems	Android4.0/IOS9.0		
Voice Control	1.Alexa 2.Google Asst 3.Tmall Elf 4.IFTTT 5.Dingdong 6.Xiaodu		



Product Model: ES-S100-NO-W4(RGBW)			
Supply Voltage	DC 12-24V	Output Power	<120W
Product Size	L100*W47*H23mm	Package Size	L102*W49*H25mm
Features	Timing function + DIY mode + Music mode		
Compatible Systems	Android4.0/IOS9.0		
Voice Control	1.Alexa 2.Google Asst 3.Tmall Elf 4.IFTTT 5.Dingdong 6.Xiaodu		



Product Model: ES-S100-NO-W5(RGB+CCT)			
Supply Voltage	DC 12-24V	Output Power	<120W
Product Size	L100*W47*H23mm	Package Size	L102*W49*H25mm
Features	Timing function + DIY mode + Music mode		
Compatible Systems	Android4.0/IOS9.0		
Voice Control	1.Alexa 2.Google Asst 3.Tmall Elf 4.IFTTT 5.Dingdong 6.Xiaodu		



Product Model: ES-WIFI-RF-RGB01(RGB)			
Supply Voltage	DC 12-24V	Output Power	<144W(4A*3CH)
Product Size	L85*W45*H23mm	Package Size	L136*W60*H50mm
Net / Gross Weight	68g/90g		
Compatible Systems	Android4.0/IOS9.0		
Control Methods	RF remote control + WiFi APP		



Product Model: ES-WIFI-RF-RGBW(RGBW)			
Supply Voltage	DC 12-24V	Output Power	<120W(4A*4CH)
Product Size	L85*W45*H23mm	Package Size	L136*W60*H50mm
Net / Gross Weight	68g/90g		
Compatible Systems	Android4.0/IOS9.0		
Control Methods	RF remote control + WiFi APP		



Product Model: ES-BLE-IR40S			
Supply Voltage	DC 5-24V	Output Power	<100W(4A*3CH)
Product Size	L60*W34*H14mm	Net / Gross Weight	55g/60g
Features	Timing switch+DIY color selection+Microphone+Music mode		
Control Methods	IR remote control+Bluetooth APP		
Compatible Systems	Android4.0/IOS9.0/Bluetooth4.0		



Product Model: ES-BLE-M1			
Supply Voltage	DC 5-24V	RF Frequency	2.4GHz
Weight	50g	Controller Size	L51*W21*H13mm
Remote Control Size	L85*W40*H6mm		
Battery	1PCS*CR2025 button battery		
Control Method	Bluetooth App + RF21-key Remote + 3-key Independent Control		



Product Model: ES-BLE-M2			
Supply Voltage	DC 5-24V	RF Frequency	2.4GHz
Weight	50g	Controller Size	L51*W21*H13mm
Remote Control Size	L85*W40*H6mm		
Battery	1PCS*CR2025 button battery		
Control Method	Bluetooth App + RF21-key Remote + 3-key Independent Control		



Product Model: ES-24KeyBLE-RGB			
Supply Voltage	DC 5-24V	Connection Method	Common anode
Controller Size	L72*W22*H14mm	Package Size	L170*W120mm
Control Distance	20m		
Output	A set of SPI signals		
Model	213kind(with musical groove)		



Product Model: ES-BLE-RF30			
Supply Voltage	DC 5-24V	Output Power	<30A
Controller Size	L86*W62*H20mm	Remote Control Size	L108*W51*H15mm
Net / Gross Weight	130g/135g		
Output	/		



Product Model: ES-BLE-CW			
Supply Voltage	DC 5-24V	Output Power	<10A(per circuit)
Controller Size	L86*W62*H20mm	Outer Package Size	L115*W75*H45mm
Net Weight	122g		
Output	Three CMOS open-drain outputs		



Product Model: ES-BLE-RGB			
Supply Voltage	DC 5-24V	Output Power	<30A
Controller Size	L108*W51*H15mm	Remote Control Size	L102*W62*H20mm
Net / Gross Weight	150g/157g		
Output	/		



Product Model: ES-BLE-RGBW			
Supply Voltage	DC 5-24V	Output Power	<40A
Controller Size	L108*W51*H15mm	Outer Package Size	L102*W62*H20mm
Net Weight	150g/157g		
Output	/		



Product Model: ES-BLE-RGBCW			
Supply Voltage	DC 5-24V	Output Power	<10A
Controller Size	L113*W56*H22.5mm	Remote Control Size	L103*W62*H22mm
Net / Gross Weight	160g/200g		
Output	/		

SENFEY LED LIGHTING SOLUTIONS
Shenzhen Senfey Lighting Technology Co., Ltd.



Product Model: ES-HC-DIY			
Supply Voltage	DC 5-24V	Output	A set of SPI signals
Model	358 kinds	Net / Gross Weight	35g/40g
Product Size	L40*W12*H5mm	Antistatic Bag	L128*W90mm
Support IC Model	SM16703/UCS1903/WS2811/WS2812B/WS2813/WS2818/SK6812...		



Product Model: ES-HC-LOCK			
Supply Voltage	DC 5-24V	Output	A set of SPI signals
Model	358 kinds	Net / Gross Weight	35g/40g
Product Size	L40*W12*H5mm	Antistatic Bag	L128*W90mm
Support IC Model	SM16703/UCS1903/WS2811/WS2812B/WS2813/WS2818/SK6812...		



Product Model: ES-HC-17KEY			
Supply Voltage	DC 5-24V	Output	A set of SPI signals
Model	358 kinds	Net / Gross Weight	35g/40g
Product Size	L40*W12*H5mm	Antistatic Bag	L128*W90mm
Support IC Model	SM16703/UCS1903/WS2811/WS2812B/WS2813/WS2818/SK6812...		



Product Model: ES-HC-21KEY			
Supply Voltage	DC 5-24V	Output	A set of SPI signals
Model	366 kinds	Net / Gross Weight	35g/40g
Product Size	L40*W12*H5mm	Antistatic Bag	L128*W90mm
Support IC Model	SM16703/UCS1903/WS2811/WS2812B/WS2813/WS2818/SK6812...		



Product Model: ES-AMF-L(RGB)			
Supply Voltage	DC 12-24V	Output Power	<144W(14A*3CH)
Gross Weight	125g	Net Weight	102g
Product Size	L105*W65*H23mm		
Packing Size	L115*W70*H35mm		



Product Model: ES-AMF-L4(RGBW)			
Supply Voltage	DC 12-24V	Output Power	<240W(6A*4CH)
Gross Weight	125g	Net Weight	84g
Product Size	L81*W64*H24mm		
Packing Size	L115*W70*H35mm		



Product Model: ES-AMF-L5(RGBWC)			
Supply Voltage	DC 12-24V	Output Power	<180W(3A*5CH)
Gross Weight	135g	Net Weight	114g
Product Size	L105*W65*H23mm		
Packing Size	L115*W70*H35mm		



Product Model: ES-AMF-T4(RGBW)			
Supply Voltage	DC 5-24V	Output Power	<384W(8A*4CH)
Gross Weight	360g	Net Weight	310g
Product Size	L147*W70*H25mm		
Packing Size	L152*W75*H30mm		



Product Model: ES-DMX512-3CH			
Supply Voltage	DC 12-24V	Output Power	240W(8A*3CH)
Net Weight	312g	Gross Weight	395g
Product Size	L164*W65*H40mm	Package Size	L176*W84*H50mm
Note	/		



Product Model: ES-DMX512-4CH			
Supply Voltage	DC 12-24V	Output Power	240W(8A*4CH)
Net Weight	312g	Gross Weight	395g
Product Size	L164*W65*H40mm	Package Size	L176*W84*H50mm
Note	/		



Product Model: ES-DMX512-T3CH			
Supply Voltage	DC 12-24V	Output Power	288W(8A*3CH)
Net Weight	460g	Gross Weight	500g
Product Size	L164*W65*H40mm	Package Size	L176*W84*H50mm
Note	Iron seat, high power, special for engineering		



Product Model: ES-DMX512-T4CH			
Supply Voltage	DC 12-24V	Output Power	384W(8A*4CH)
Net Weight	460g	Gross Weight	500g
Product Size	L164*W65*H40mm	Package Size	L176*W84*H50mm
Note	Iron seat, high power, special for engineering		



Product Model: ES-DMX-03			
Supply Voltage	DC 12-24V	Output Power	240W(8A*3CH)
Net Weight	460g	Gross Weight	500g
Product Size	L164*W65*H40mm	Package Size	L176*W84*H50mm
Note	/		



Product Model: ES-DMX-04			
Supply Voltage	DC 12-24V	Output Power	240W(8A*4CH)
Net Weight	460g	Gross Weight	500g
Product Size	L164*W65*H40mm	Package Size	L176*W84*H50mm
Note	/		



Product Model: ES-DMX512-3DP			
Supply Voltage	DC 12-24V	Output Power	144W(4A*3CH)
Net Weight	197g	Gross Weight	221g
Product Size	L77*W42*H33mm	Package Size	L185*W50*H40mm
Note	/		



Product Model: ES-DMX512-4DP			
Supply Voltage	DC 12-24V	Output Power	192W(4A*4CH)
Net Weight	197g	Gross Weight	221g
Product Size	L77*W42*H33mm	Package Size	L185*W50*H40mm
Note	/		