


Product Model : 312Leds COB Led Strip				
Specifications	312 LEDs/m	Voltage	12 V	24 V
Width	8 mm	Cuttable Length	38.46 mm	
Wattage	11 W/M	CRI	Ra ≥ 90	
Colors (optional)	2700K/3000K/4000K/6000K/Red/Green/Blue			



Product Model : 320Leds COB Led Strip				
Specifications	320 LEDs/m	Voltage	12 V	24 V
Width	8 mm	Cuttable Length	25 mm	50 mm
Wattage	8 W/M	CRI	Ra ≥ 90	
Colors (optional)	2700K/3000K/4000K/6000K/Red/Green/Blue			




Product Model : 384Leds COB Led Strip			
Specifications	384 LEDs/m	Voltage	24 V
Width	8 mm	Cuttable Length	31.25 mm
Wattage	10 W/M	CRI	Ra ≥ 90
Colors (optional)	2700K/3000K/4000K/6000K/Red/Green/Blue		




Product Model : 480Leds COB Led Strip				
Specifications	480 LEDs/m	Voltage	12 V	24 V
Width	8 mm	Cuttable Length	25 mm	50 mm
Wattage	10.5 W/M	CRI	Ra ≥ 90	
Colors (optional)	2700K/3000K/4000K/6000K/Red/Green/Blue			




Product Model : 528Leds COB Led Strip				
Specifications	528 LEDs/m	Voltage	12 V	24 V
Width	10 mm	Cuttable Length	22.73 mm	45.45 mm
Wattage	14 W/M	CRI	Ra ≥ 90	
Colors (optional)	2700K/3000K/4000K/6000K/Red/Green/Blue			




Product Model : 400Leds COB Led Strip				
Specifications	400 LEDs/m	Voltage	12 V	24 V
Width	5 mm	Cuttable Length	20 mm	40 mm
Wattage	10 W/M	CRI	Ra ≥ 90	
Colors (optional)	2700K/3000K/4000K/6000K/Red/Green/Blue			




Product Model : 400Leds COB Led Strip			
Specifications	400 LEDs/m	Voltage	5 V
Width	3 mm	Cuttable Length	10 mm
Wattage	5.5 W/M	CRI	Ra ≥ 90
Colors (optional)	2700K/3000K/4000K/6000K/Red/Green/Blue		




Product Model : 400Leds COB Led Strip			
Specifications	400 LEDs/m	Voltage	5 V
Width	4 mm	Cuttable Length	10 mm
Wattage	5.5 W/M	CRI	Ra ≥ 90
Colors (optional)	2700K/3000K/4000K/6000K/Red/Green/Blue		



Product Model : 400Leds COB Led Strip			
Specifications	400 LEDs/m	Voltage	5 V
Width	5 mm	Cuttable Length	10 mm
Wattage	8 W/M	CRI	Ra ≥ 90
Colors (optional)	2700K/3000K/4000K/6000K/Red/Green/Blue		




Product Model : 320Leds COB Led Strip			
Specifications	320 LEDs/m	Voltage	12 V
Width	6.6 mm	Cuttable Length	12.5 mm
Wattage	7 W/M	CRI	Ra ≥ 90
Colors (optional)	2700K/3000K/4000K/6000K/Red/Green/Blue		




Product Model : 384Leds COB Led Strip				
Specifications	384 LEDs/m	Voltage	12 V	24 V
Width	3 mm/5 mm	Cuttable Length	20.83 mm	41.66 mm
Wattage	7 W/M/10 W/M	CRI	Ra ≥ 90	
Colors (optional)	2700K/3000K/4000K/6000K/Red/Green/Blue			



Product Model : 480Leds COB Led Strip			
Specifications	480 LEDs/m	Voltage	24 V
Width	8 mm	Cuttable Length	33.33 mm
Wattage	10 W/M	CRI	Ra ≥ 90
Colors (optional)	2700K/3000K/4000K/6000K/Red/Green/Blue		




Product Model : 320Leds COB Led Strip				
Specifications	320 LEDs/m	Voltage	12 V	24 V
Width	8 mm	Cuttable Length	25 mm	50 mm
Wattage	8 W/M	CRI	Ra ≥ 90	
Colors (optional)	2700K/3000K/4000K/6000K/Red/Green/Blue			



Product Model : 384Leds COB Led Strip				
Specifications	384 LEDs/m	Voltage	12 V	24 V
Width	8 mm	Cuttable Length	41.66 mm	
Wattage	10 W/M	CRI	Ra ≥ 90	
Colors (optional)	2700K/3000K/4000K/6000K/Red/Green/Blue			



Product Model : 480Leds COB Led Strip				
Specifications	480 LEDs/m	Voltage	12 V	24 V
Width	8 mm	Cuttable Length	25 mm	50 mm
Wattage	11 W/M	CRI	Ra ≥ 90	
Colors (optional)	2700K/3000K/4000K/6000K/Red/Green/Blue			




Product Model : 528Leds COB Led Strip				
Specifications	528 LEDs/m	Voltage	12 V	24 V
Width	10 mm	Cuttable Length	45.45 mm	
Wattage	14 W/M	CRI	Ra ≥ 90	
Colors (optional)	2700K/3000K/4000K/6000K/Red/Green/Blue			




Product Model : 384Leds COB Led Strip			
Specifications	384 LEDs/m	Voltage	24 V
Width	8 mm/10 mm	Cuttable Length	31.25 mm
Wattage	10 W/M	CRI	Ra ≥ 90
Colors (optional)	2700K/3000K/4000K/6000K/Red/Green/Blue		



Product Model : 528Leds COB Led Strip				
Specifications	528 LEDs/m	Voltage	12 V	24 V
Width	8 mm	Cuttable Length	Cut as you like	
Wattage	13 W/M	CRI	Ra ≥ 90	
Colors (optional)	2700K/3000K/4000K/6000K/Red/Green/Blue			




Product Model : 600Leds COB Led Strip			
Specifications	600 LEDs/m	Voltage	24 V
Width	12 mm	Cuttable Length	20 mm
Wattage	24 W/M	CRI	Ra ≥ 90
Colors (optional)	2700K/3000K/4000K/6000K/Red/Green/Blue		



Product Model : 960Leds COB Led Strip			
Specifications	960 LEDs/m	Voltage	24 V
Width	12 mm	Cuttable Length	33.33 mm
Wattage	28 W/M	CRI	Ra ≥ 90
Colors (optional)	2700K/3000K/4000K/6000K/Red/Green/Blue		




Product Model : 960Leds COB Led Strip			
Specifications	960 LEDs/m	Voltage	24 V
Width	15 mm	Cuttable Length	50 mm
Wattage	25 W/M	CRI	Ra ≥ 90
Colors (optional)	2700K/3000K/4000K/6000K/Red/Green/Blue		



Product Model : 1600Leds COB Led Strip			
Specifications	1600 LEDs/m	Voltage	24 V
Width	30 mm	Cuttable Length	25 mm
Wattage	40 W/M	CRI	Ra ≥ 90
Colors (optional)	2700K/3000K/4000K/6000K/Red/Green/Blue		




Product Model : 480Leds COB Led Strip			
Specifications	480 LEDs/m	Voltage	48 V
Width	8 mm	Cuttable Length	50 mm
Wattage	8 W/M	CRI	Ra ≥ 90
Colors (optional)	2700K/3000K/4000K/6000K/Red/Green/Blue		



Product Model : 480Leds COB Led Strip			
Specifications	480 LEDs/m	Voltage	24 V
Width	8 mm	Cuttable Length	50 mm
Wattage	9.5 W/M	CRI	Ra ≥ 90
Colors (optional)	2700K/3000K/4000K/6000K/Red/Green/Blue		




Product Model : 576Leds COB Led Strip				
Specifications	576 LEDs/m	Voltage	12 V	24 V
Width	8 mm	Cuttable Length	30.83 mm	41.66 mm
Wattage	10+10 W/M	CRI	Ra ≥ 90	
Colors (optional)	2700K/3000K/4000K/6000K/6500K/Red/Green/Blue			



Product Model : 600Leds COB Led Strip				
Specifications	600 LEDs/m	Voltage	12 V	24 V
Width	5 mm	Cuttable Length	10 mm	20 mm
Wattage	7+7 W/M	CRI	Ra ≥ 90	
Colors (optional)	2700K/3000K/4000K/6000K/6500K/Red/Green/Blue			




Product Model : 600Leds COB Led Strip				
Specifications	600 LEDs/m	Voltage	12 V	24 V
Width	8 mm	Cuttable Length	10 mm	20 mm
Wattage	7+7 W/M	CRI	Ra ≥ 90	
Colors (optional)	2700K/3000K/4000K/6000K/6500K/Red/Green/Blue			



Product Model : 608Leds COB Led Strip				
Specifications	608 LEDs/m	Voltage	12 V	24 V
Width	5 mm	Cuttable Length	26.31 mm	
Wattage	6+6 W/M	CRI	Ra ≥ 90	
Colors (optional)	2700K/3000K/4000K/6000K/6500K/Red/Green/Blue			




Product Model : 608Leds COB Led Strip				
Specifications	608 LEDs/m	Voltage	12 V	24 V
Width	8 mm	Cuttable Length	13.16 mm	26.31 mm
Wattage	6+6 W/M	CRI	Ra ≥ 90	
Colors (optional)	2700K/3000K/4000K/6000K/6500K/Red/Green/Blue			



Product Model : 608Leds COB Led Strip				
Specifications	608 LEDs/m	Voltage	12 V	24 V
Width	10 mm	Cuttable Length	26.31 mm	26.31 mm
Wattage	7+7 W/M	CRI	Ra ≥ 90	
Colors (optional)	2700K/3000K/4000K/6000K/6500K/Red/Green/Blue			



Product Model : 624Leds COB Led Strip			
Specifications	624 LEDs/m	Voltage	24 V
Width	8 mm	Cuttable Length	19.23 mm
Wattage	7+7 W/M	CRI	Ra ≥ 90
Colors (optional)	2700K/3000K/4000K/6000K/6500K/Red/Green/Blue		



Product Model : 624Leds COB Led Strip			
Specifications	624 LEDs/m	Voltage	24 V
Width	10 mm	Cuttable Length	19.23 mm
Wattage	7+7 W/M	CRI	Ra ≥ 90
Colors (optional)	2700K/3000K/4000K/6000K/6500K/Red/Green/Blue		



Product Model : 640Leds COB Led Strip			
Specifications	640 LEDs/m	Voltage	24 V
Width	10 mm	Cuttable Length	25 mm
Wattage	8+8 W/M	CRI	Ra ≥ 90
Colors (optional)	2700K/3000K/4000K/6000K/6500K/Red/Green/Blue		




Product Model : 640Leds COB Led Strip			
Specifications	640 LEDs/m	Voltage	5 V
Width	10 mm	Cuttable Length	25 mm
Wattage	5+5 W/M	CRI	Ra ≥ 90
Colors (optional)	2700K/3000K/4000K/6000K/6500K/Red/Green/Blue		

Single Color Pixel COB Led Strip Series




Product Model : 360Leds COB Led Strip			
Specifications	360 LEDs/m	Voltage	24 V
Width	10 mm	Cuttable Length	83.33 mm
Wattage	11 W/M	IC Model	WS2811
Colors (optional)	3000K/4000K/6000K/Red/Green/Blue		



Product Model : 576Leds COB Led Strip			
Specifications	576 LEDs/m	Voltage	24 V
Width	10 mm	Cuttable Length	41.66 mm
Wattage	10 W+10 W/M	IC Model	WS2811
Colors (optional)	2700K/3000K/4000K/6000K/6500K/Red/Green/Blue		



Product Model : 576Leds COB RGB Led Strip			
Specifications	576 LEDs/m	Voltage	5 V
Width	8 mm	Cuttable Length	20.83 mm
Wattage	7 W/M	CRI	/
Colors (optional)	Red/Green/Blue		




Product Model : 576Leds COB RGB Led Strip				
Specifications	576 LEDs/m	Voltage	12 V	24 V
Width	8 mm	Cuttable Length	31.25 mm	62.5 mm
Wattage	10 W/M	CRI	/	
Colors (optional)	Red/Green/Blue			



Product Model : 576Leds COB RGB Led Strip				
Specifications	576 LEDs/m	Voltage	12 V	24 V
Width	10 mm	Cuttable Length	31.25 mm	62.5 mm
Wattage	14 W/M	CRI	/	
Colors (optional)	Red/Green/Blue			



Product Model : 756/768Leds COB RGB Led Strip				
Specifications	756/768 LEDs/m	Voltage	12 V	24 V
Width	10 mm	Cuttable Length	23.81 mm	31.25 mm
Wattage	14 W/M	CRI	/	
Colors (optional)	Red/Green/Blue			




Product Model : 810/840Leds COB RGB Led Strip				
Specifications	810/840 LEDs/m	Voltage	12 V	24 V
Width	10 mm	Cuttable Length	33.33 mm	50 mm
Wattage	14 W/M	CRI	/	
Colors (optional)	Red/Green/Blue			



Product Model : 1080Leds COB RGB Led Strip			
Specifications	1080 LEDs/m	Voltage	24 V
Width	12 mm	Cuttable Length	50 mm
Wattage	14 W/M	CRI	/
Colors (optional)	Red/Green/Blue		



Product Model : 784Leds COB RGBW Led Strip			
Specifications	784 LEDs/m	Voltage	24 V
Width	12 mm	Cuttable Length	71.42 mm
Wattage	19 W/M	CRI	/
Colors (optional)	RGBW(2700K/3000K/4000K/6000K)		



Product Model : 840Leds COB Led Strip			
Specifications	840 LEDs/m	Voltage	24 V
Width	12 mm	Cuttable Length	35.71 mm
Wattage	21 W/M	CRI	/
Colors (optional)	RGBCW		


RGB Pixel Series



Product Model : 160Leds COB Pixel RGB Led Strip			
Specifications	160 LEDs/m	Voltage	5 V
Width	5 mm	Cuttable Length	12.5 mm
Wattage	13 W/M	IC Model	MW1838EA
Colors (optional)	RGB+IC		




Product Model : 420Leds COB Pixel RGB Led Strip			
Specifications	420 LEDs/m	Voltage	24 V
Width	10 mm	Cuttable Length	100 mm
Wattage	10 W/M	IC Model	WS2811
Colors (optional)	RGB+IC		



Product Model : 576Leds COB Pixel RGB Led Strip				
Specifications	576 LEDs/m	Voltage	12 V	24 V
Width	10 mm	Cuttable Length	62.5 mm	
Wattage	8 W/M/16 W/M	IC Model	WS2811	
Colors (optional)	RGB+IC			




Product Model : 720Leds COB Pixel RGB Led Strip				
Specifications	720 LEDs/m	Voltage	12 V	24 V
Width	12 mm	Cuttable Length	50 mm	
Wattage	10 W/M/19 W/M	IC Model	WS2811	
Colors (optional)	RGB+IC			



Product Model : 720Leds COB Pixel RGB Led Strip				
Specifications	720 LEDs/m	Voltage	12 V	24 V
Width	10 mm	Cuttable Length	50 mm	
Wattage	10 W/M/19 W/M	IC Model	WS2811	
Colors (optional)	RGB+IC			



Product Model : 720Leds COB Pixel RGB Led Strip				
Specifications	720 LEDs/m	Voltage	12 V	24 V
Width	12 mm	Cuttable Length	50 mm	
Wattage	12 W/M/21 W/M	IC Model	WS2818	
Colors (optional)	RGB+IC			



Product Model : 784Leds COB Pixel RGBW Led Strip			
Specifications	784 LEDs/m	Voltage	24 V
Width	10 mm	Cuttable Length	71.42 mm
Wattage	21 W/M	IC Model	WS2814
Colors (optional)	RGBW(3000K/4000K/6000K)+IC		




Product Model : 840Leds COB Pixel RGBW Led Strip			
Specifications	840 LEDs/m	Voltage	24 V
Width	15 mm	Cuttable Length	71.42 mm
Wattage	26 W/M	IC Model	WS2805
Colors (optional)	RGBCW(3000K+6500K)+IC		




Product Model : 576Leds COB Pixel RGB Led Strip				
Specifications	576 LEDs/m	Voltage	12 V	24 V
Width	10 mm	Cuttable Length	62.5 mm	
Wattage	8 W/M/16 W/M	IC Model	WS2811	
Colors (optional)	RGB+IC			




Product Model : 720Leds COB Pixel RGB Led Strip				
Specifications	720 LEDs/m	Voltage	12 V	24 V
Width	12 mm	Cuttable Length	50 mm	
Wattage	10 W/M/19 W/M	IC Model	WS2811	
Colors (optional)	RGB+IC			




Product Model : 480Leds COB Led Strip			
Specifications	480 LEDs/m	Voltage	12V/24 V
Width	8 mm	Cuttable Length	50 mm
Wattage	10.5 W/M	Wavelength	620NM±5NM
Colors (optional)	Red color		




Product Model : 480Leds COB Led Strip			
Specifications	480 LEDs/m	Voltage	12V/24 V
Width	8 mm	Cuttable Length	50 mm
Wattage	10.5 W/M	Wavelength	540NM±5NM
Colors (optional)	Green color		




Product Model : 480Leds COB Led Strip			
Specifications	480 LEDs/m	Voltage	12 V/24 V
Width	8 mm	Cuttable Length	50 mm
Wattage	10.5 W/M	Wavelength	455NM±5NM
Colors (optional)	Blue color		




Product Model : 480Leds COB Led Strip			
Specifications	480 LEDs/m	Voltage	12 V /24 V
Width	8 mm	Cuttable Length	50 mm
Wattage	10.5 W/M	Wavelength	484NM±5NM
Colors (optional)	Icy blue color		




Product Model : 480Leds COB Led Strip			
Specifications	480 LEDs/m	Voltage	12 V/24 V
Width	8 mm	Cuttable Length	50 mm
Wattage	10.5 W/M	Wavelength	380NM±5NM
Colors (optional)	Violet color		



Product Model : 480Leds COB Led Strip			
Specifications	480 LEDs/m	Voltage	12 V/24 V
Width	8 mm	Cuttable Length	50 mm
Wattage	10.5 W/M	Wavelength	610NM±5NM
Colors (optional)	Pink color		



Product Model : 480Leds COB Led Strip			
Specifications	480 LEDs/m	Voltage	12 V/24 V
Width	8 mm	Cuttable Length	50 mm
Wattage	10.5 W/M	Wavelength	592NM±5NM
Colors (optional)	Orange color		




Product Model : 480Leds COB Led Strip			
Specifications	480 LEDs/m	Voltage	12 V/24 V
Width	8 mm	Cuttable Length	50 mm
Wattage	10.5 W/M	Wavelength	588NM±5NM
Colors (optional)	Yellow color		



Product Model : 240Leds COB Led Strip			
Specifications	240 LEDs/m	Voltage	AC220V
Width	8 mm	Cuttable Length	100mm
Wattage	10 W/M	CRI	Ra≥80
Colors (optional)	2700K/3000K/4000K/6000K		



Product Model : 288Leds COB Led Strip			
Specifications	288 LEDs/m	Voltage	AC220V
Width	8 mm	Cuttable Length	83.33 mm
Wattage	10 W/M	CRI	WS2805
Colors (optional)	2700K/3000K/4000K/6000K		




Product Model : 288Leds COB Iridescent RGB Led Strip			
Specifications	288 LEDs/m	Voltage	AC110~220V
Width	8 mm	Cuttable Length	500 mm
Wattage	10 W/M	CRI	Ra≥80
Colors (optional)	2700K/3000K/4000K/6000K		



Product Model : 2835-60Leds SMD Led Strip			
Voltage	DC 12-24V	LED Chips	2835
Power	0.2W	Quantity	60leds
Brightness	24-26lm	PCB	Double pcb
Beam Angle	120	CRI	80
Waterproof Rating	IP20/IP65/IP67/IP68	Size	8mm
Colors (optional)	White / Warm White / Natural White		




Product Model : 2835-120Leds SMD Led Strip			
Voltage	DC 5V	LED Chips	2835
Power	0.2W	Quantity	120leds
Brightness	24-26lm	PCB	Double pcb
Beam Angle	120	CRI	80
Waterproof Rating	IP20/IP65/IP67/IP68	Size	8mm
Colors (optional)	White / Warm White / Natural White		



Product Model : 2835-240Leds 5M SMD Led Strip			
Voltage	DC 12-24V	LED Chips	2835
Power	0.2W	Quantity	240leds
Brightness	24-26lm	PCB	Double pcb
Beam Angle	120	CRI	80
Waterproof Rating	IP20/IP65/IP67/IP68	Size	10mm
Colors (optional)	White / Warm White / Natural White		



Product Model : 2835-240Leds 2 Rules SMD Led Strip			
Voltage	DC 12-24V	LED Chips	2835
Power	0.2W	Quantity	240leds
Brightness	24-26lm	PCB	Double pcb
Beam Angle	120	CRI	80
Waterproof Rating	IP20/IP67/IP68	Size	15mm
Colors (optional)	White / Warm White / Natural White		



Product Model : 2835-360Leds 3 Rules SMD Led Strip			
Voltage	DC 12-24V	LED Chips	2835
Power	0.2W	Quantity	360leds
Brightness	24-26lm	PCB	Double pcb
Beam Angle	120	CRI	80
Waterproof Rating	IP20/IP67/IP68	Size	20mm
Colors (optional)	White / Warm White / Natural White		



Product Model : 2835-480Leds 2 Rules SMD Led Strip			
Voltage	DC 12-24V	LED Chips	2835
Power	0.2W	Quantity	480leds
Brightness	24-26lm	PCB	Double pcb
Beam Angle	120	CRI	80
Waterproof Rating	IP20/IP67/IP68	Size	15mm
Colors (optional)	White / Warm White / Natural White		



Product Model : 5050-60Leds SMD Led Strip			
Voltage	DC 12-24V	LED Chips	5050
Power	0.24W	Quantity	60leds
Brightness	12-14lm	PCB	Double pcb
Beam Angle	120	CRI	/
Waterproof Rating	IP20/IP65/IP67/IP68	Size	10mm
Colors (optional)	White/Warm White/Natural White/RGB/Yellow/Pink/Golden/Ice Blue		



Product Model : 5050-120Leds SMD Led Strip			
Voltage	DC 12-24V	LED Chips	5050
Power	0.24W	Quantity	120leds
Brightness	12-14lm	PCB	Double pcb
Beam Angle	120	CRI	/
Waterproof Rating	IP20/IP65/IP67/IP68	Size	10mm
Colors (optional)	White/Warm White/Natural White/RGB/Yellow/Pink/Golden/Ice Blue		


CCT Series



Product Model : 5025-CCT-120Leds SMD Led Strip			
Voltage	DC 12-24V	LED Chips	5050
Power	0.2W	Quantity	120leds
Brightness	18-20lm	PCB	Double pcb
Beam Angle	120	CRI	/
Waterproof Rating	IP20/IP65/IP67	Size	10mm
Colors (optional)	Cool White + Warm White		



Product Model : 2835-CCT-120Leds SMD Led Strip			
Voltage	DC 12-24V	LED Chips	2835
Power	0.2W	Quantity	120leds
Brightness	26-28lm	PCB	Double pcb
Beam Angle	120	CRI	/
Waterproof Rating	IP20/IP65/IP67	Size	8mm
Colors (optional)	Cool White + Warm White: White PCB / Black PCB		



Product Model : 5050-30Leds-RGB SMD Led Strip			
Voltage	DC 12-24V	LED Chips	5050
Power	0.2W	Quantity	30leds
Brightness	12-14lm	PCB	Double pcb
Beam Angle	120	CRI	/
Waterproof Rating	IP20	Size	10mm
Colors (optional)	RGB White PCB / RGB Black PCB		



Product Model : 5050-60Leds-RGB SMD Led Strip			
Voltage	DC 12-24V	LED Chips	5050
Power	0.2W	Quantity	60leds
Brightness	12-14lm	PCB	Double pcb
Beam Angle	120	CRI	/
Waterproof Rating	IP20/IP65/IP67	Size	10mm
Colors (optional)	RGB		



Product Model : 5050-RGB-96Leds SMD Led Strip			
Voltage	DC 12-24V	LED Chips	5050
Power	0.24W	Quantity	96leds
Brightness	22-24lm	PCB	Double pcb
Beam Angle	120	CRI	/
Waterproof Rating	IP20/IP65/IP67	Size	8mm
Colors (optional)	RGB		



Product Model: 5050-RGB-120Leds SMD Led Strip (Single Row)			
Voltage	DC 12-24V	LED Chips	5050
Power	0.24W	Quantity	120leds
Brightness	12-14lm	PCB	Double pcb
Beam Angle	120	CRI	/
Waterproof Rating	IP20/IP65/IP67	Size	10mm
Colors (optional)	RGB		



Product Model: 5050-RGB-120Leds SMD Led Strip (Double Row)			
Voltage	DC 24V	LED Chips	2835
Power	0.2W	Quantity	240leds
Brightness	/	PCB	Double pcb
Beam Angle	120	CRI	/
Waterproof Rating	IP20/IP67	Size	15mm
Colors (optional)	RGB		




Product Model : 5050-RGB-6mm-60Leds SMD Led Strip			
Voltage	DC 12-24V	LED Chips	5050
Power	0.2W	Quantity	60leds
Brightness	12-14lm	PCB	Double pcb
Beam Angle	120	CRI	/
Waterproof Rating	IP20/IP67	Size	6mm
Colors (optional)	RGB White PCB / RGB Black PCB		



Product model : 5050-RGB-30leds SMD Led Strip			
Voltage	DC 5V	LED Chips	5050
Power	0.2W	Quantity	30leds
Brightness	12-14lm	PCB	Double pcb
Beam Angle	120	CRI	/
Waterproof Rating	IP20	Size	10mm
Colors (optional)	RGB White PCB / RGB Black PCB		



Product Model : 5050-60Leds-RGB SMD Led Strip			
Voltage	DC 5V	LED Chips	5050
Power	0.2W	Quantity	60leds
Brightness	12-14lm	PCB	Double pcb
Beam Angle	120	CRI	/
Waterproof Rating	IP20	Size	10mm
Colors (optional)	RGB White PCB / RGB Black PCB		



Product Model : 4in1-60Leds SMD Led Strip			
Voltage	DC 12-24V	LED Chips	5050
Power	0.2W	Quantity	60leds
Brightness	20-22lm	PCB	Double pcb
Beam Angle	120	CRI	/
Waterproof Rating	IP20/IP65/IP67	Size	12mm
Colors (optional)	RGBW + RGBWW : White PCB / Black PCB		



Product Model : 4in1-96Leds SMD Led Strip			
Voltage	DC 12-24V	LED Chips	5050
Power	0.2W	Quantity	60leds
Brightness	20-22lm	PCB	Double pcb
Beam Angle	120	CRI	/
Waterproof Rating	IP20/IP65/IP67	Size	12mm
Colors (optional)	12V 84Led 4in1 RGBW / 24V 96Led 4in1 RGBW		



Product Model : 4in1-72Leds SMD Led Strip			
Voltage	DC 12-24V	LED Chips	5050
Power	0.2W	Quantity	72leds
Brightness	22-24lm	PCB	Double pcb
Beam Angle	120	CRI	/
Waterproof Rating	IP20/IP65/IP67	Size	10mm
Colors (optional)	RGB+CW/WW		



Product Model : 4in1-120Leds SMD Led Strip			
Voltage	DC 24V	LED Chips	5050+2835
Power	0.24W	Quantity	120leds
Brightness	22-24lm	PCB	Double pcb
Beam Angle	120	CRI	/
Waterproof Rating	IP20/IP65/IP67	Size	10mm
Colors (optional)	RGB+W / RGB+WW / RGB+NW		



Product Model : 5050 RGB+W 60leds SMD Led Strip (1 Row)			
Voltage	DC 12V	LED Chips	5050
Power	0.24W	Quantity	60leds
Brightness	12-14lm	PCB	Double pcb
Beam Angle	120	CRI	/
Waterproof Rating	IP20/IP67	Size	10mm
Colors (optional)	RGBW + RGBWW : White PCB / Black PCB		




Product Model : SMD5050 RGB+W 120Leds SMD Led Strip (2 Row)			
Voltage	DC 12-24V	LED Chips	5050
Power	0.24W	Quantity	120leds
Brightness	12-14lm	PCB	Double pcb
Beam Angle	120	CRI	/
Waterproof Rating	IP20/IP67	Size	16mm
Colors (optional)	RGBW / RGBWW		



Product Model : 5in1-60Leds SMD Led Strip			
Voltage	DC 12-24V	LED Chips	5050
Power	0.3W	Quantity	60leds
Brightness	20-22lm	PCB	Double pcb
Beam Angle	120	CRI	/
Waterproof Rating	IP20/IP65/IP67	Size	12mm
Colors (optional)	RGBCW / WW		



Product Model : 5in1-96Leds SMD Led Strip			
Voltage	DC 12-24V	LED Chips	5050
Power	0.3W	Quantity	96leds
Brightness	20-22lm	PCB	Double pcb
Beam Angle	120	CRI	/
Waterproof Rating	IP20/IP65/IP67	Size	12mm
Colors (optional)	24V 96Led 5in1 RGBWC		




Product Model : RGBCCT-90Leds SMD Led Strip			
Voltage	DC 12-24V	LED Chips	5050+2835
Power	0.2W	Quantity	90leds
Brightness	22-24lm	PCB	Double pcb
Beam Angle	120	CRI	/
Waterproof Rating	IP20/IP65/IP67	Size	12mm
Colors (optional)	RGB+CW/WW		



Product Model : RGBCCT-60Leds SMD Led Strip			
Voltage	DC 12-24V	LED Chips	5050+5025
Power	0.24W	Quantity	60leds
Brightness	18-20lm	PCB	Double pcb
Beam Angle	120	CRI	/
Waterproof Rating	IP20/IP65/IP67	Size	12mm
Colors (optional)	RGB+CW/WW		



Product Model : 2811-30LMagic Pixel SMD Led Strip			
Voltage	DC 12-24V	LED Chips	5050
Power	0.24W	Quantity	30leds
Brightness	1903/2811/16703	PCB	Double pcb
Beam Angle	120	CRI	/
Waterproof Rating	IP20/IP65/IP67	Size	10mm
Colors (optional)	RGBIC		



Product Model : 2811-60LMagic Pixel SMD Led Strip			
Voltage	DC 12-24V	LED Chips	5050
Power	0.24W	Quantity	60leds
Brightness	1903/2811/16703	PCB	Double pcb
Beam Angle	120	CRI	/
Waterproof Rating	IP20/IP65/IP67	Size	10mm
Colors (optional)	RGBIC 12V/RGBIC 24V		




Product Model : 1903-60LMagic Pixel SMD Led Strip			
Voltage	DC 12V	LED Chips	5050
Power	0.24W	Quantity	60leds
Brightness	1903/2811	PCB	Double pcb
Beam Angle	120	CRI	/
Waterproof Rating	IP20/IP65/IP67	Size	8mm
Colors (optional)	RGBIC		



Product Model : 2811-72LMagic Pixel SMD Led Strip			
Voltage	DC 12V	LED Chips	5050
Power	0.24W	Quantity	72leds
Brightness	1903/2811	PCB	Double pcb
Beam Angle	120	CRI	/
Waterproof Rating	IP20/IP65/IP67	Size	8mm
Colors (optional)	RGBIC		



Product Model : 1903-84LMagic Pixel SMD Led Strip			
Voltage	DC 12-24V	LED Chips	3535
Power	0.24W	Quantity	96leds
Brightness	1903/2811	PCB	Double pcb
Beam Angle	120	CRI	/
Waterproof Rating	IP20/IP65/IP67	Size	8mm
Colors (optional)	RGBIC		



Product Model : 1903-96LMagic Pixel SMD Led Strip			
Voltage	DC 12-24V	LED Chips	3535
Power	0.24W	Quantity	96leds
Brightness	1903/2811	PCB	Double pcb
Beam Angle	120	CRI	/
Waterproof Rating	IP20/IP65/IP67	Size	8mm
Colors (optional)	RGBIC		



Product Model : 2815-30LMagic Pixel SMD Led Strip			
Voltage	DC 12V	LED Chips	5050
Power	0.24W	Quantity	30leds
Brightness	2815	PCB	Double pcb
Beam Angle	120	CRI	/
Waterproof Rating	IP20/IP65/IP67	Size	10mm
Colors (optional)	RGB White PCB/RGB Black PCB		



Product Model : 2815-60LMagic Pixel SMD Led Strip			
Voltage	DC 12V	LED Chips	5050
Power	0.24W	Quantity	60leds
Brightness	2815	PCB	Double pcb
Beam Angle	120	CRI	/
Waterproof Rating	IP20/IP65/IP67	Size	10mm
Colors (optional)	RGB White PCB/RGB Black PCB		




Product Model : 2815-96LMagic Pixel SMD Led Strip			
Voltage	DC 12V	LED Chips	5050
Power	0.24W	Quantity	96leds
Brightness	2815	PCB	Double pcb
Beam Angle	120	CRI	/
Waterproof Rating	IP20/IP65/IP67	Size	10mm
Colors (optional)	RGB White PCB/RGB Black PCB		



Product Model : 2815-144LMagic Pixel SMD Led Strip			
Voltage	DC 12V	LED Chips	5050
Power	0.24W	Quantity	144leds
Brightness	2815	PCB	Double pcb
Beam Angle	120	CRI	/
Waterproof Rating	IP20/IP65/IP67	Size	12mm
Colors (optional)	RGB White PCB/RGB Black PCB		



Product Model : 2812-30LMagic Pixel SMD Led Strip			
Voltage	DC 5V	LED Chips	5050
Power	0.24W	Quantity	30leds
Brightness	2812	PCB	Double pcb
Beam Angle	120	CRI	/
Waterproof Rating	IP20/IP65/IP67	Size	10mm
Colors (optional)	RGB White PCB/RGB Black PCB		



Product Model : 2812-60LMagic Pixel SMD Led Strip			
Voltage	DC 5V	LED Chips	5050
Power	0.24W	Quantity	60leds
Brightness	2812	PCB	Double pcb
Beam Angle	120	CRI	/
Waterproof Rating	IP20/IP65/IP67	Size	10mm
Colors (optional)	RGB White PCB/RGB Black PCB		



Product Model : 2812-96LMagic Pixel SMD Led Strip			
Voltage	DC 5V	LED Chips	5050
Power	0.24W	Quantity	96leds
Brightness	2812	PCB	Double pcb
Beam Angle	120	CRI	/
Waterproof Rating	IP20/IP65/IP67	Size	10mm
Colors (optional)	RGB White PCB/RGB Black PCB		



Product Model : 2812-144LMagic Pixel SMD Led Strip			
Voltage	DC 5V	LED Chips	5050
Power	0.24W	Quantity	144leds
Brightness	2812	PCB	Double pcb
Beam Angle	120	CRI	/
Waterproof Rating	IP20/IP65/IP67	Size	12mm
Colors (optional)	RGB White PCB/RGB Black PCB		



Product Model : 2813-30LMagic Pixel SMD Led Strip			
Voltage	DC 5V	LED Chips	5050
Power	0.24W	Quantity	30leds
Brightness	2813	PCB	Double pcb
Beam Angle	120	CRI	/
Waterproof Rating	IP20/IP65/IP67	Size	10mm
Colors (optional)	RGBIC		



Product Model : 2813-60LMagic Pixel SMD Led Strip			
Voltage	DC 5V	LED Chips	5050
Power	0.24W	Quantity	60leds
Brightness	16703	PCB	Double pcb
Beam Angle	120	CRI	/
Waterproof Rating	IP20/IP65/IP67	Size	10mm
Colors (optional)	RGBIC		

SENFEY LED LIGHTING SOLUTIONS
Shenzhen Senfey Lighting Technology Co., Ltd.
DC5V RGB Magic Color Series




Product Model : 2813-144LMagic Pixel SMD Led Strip			
Voltage	DC 5V	LED Chips	5050
Power	0.24W	Quantity	144leds
Brightness	2813	PCB	Double pcb
Beam Angle	120	CRI	/
Waterproof Rating	IP20/IP65/IP67	Size	12mm
Colors (optional)	RGBIC		



Product Model : 2812-60LMagic Pixel 5MM SMD Led Strip			
Voltage	DC 5V	LED Chips	5050
Power	0.24W	Quantity	60leds
Brightness	2812	PCB	Double pcb
Beam Angle	120	CRI	/
Waterproof Rating	IP20/IP65/IP67	Size	5.5mm
Colors (optional)	RGB		



Product Model : 2812-60LMagic Pixel 4MM SMD Led Strip			
Voltage	DC 5V	LED Chips	5050
Power	0.24W	Quantity	60leds
Brightness	2812	PCB	Double pcb
Beam Angle	120	CRI	/
Waterproof Rating	IP20/IP65/IP67	Size	4mm
Colors (optional)	RGB		



Product Model : 2812-60LMagic Pixel S PCB SMD Led Strip			
Voltage	DC 5V	LED Chips	5050
Power	0.24W	Quantity	60leds
Brightness	2812	PCB	Double pcb
Beam Angle	120	CRI	/
Waterproof Rating	IP20/IP65/IP67	Size	5mm
Colors (optional)	RGB		



Product Model : 1814Magic Pixel RGBW SMD Led Strip			
Voltage	DC 12V/24V	LED Chips	5050
Power	0.24W	Quantity	60leds
Brightness	1814	PCB	Double pcb
Beam Angle	120	CRI	/
Waterproof Rating	IP20/IP65/IP67	Size	10mm
Colors (optional)	RGBW/RGBWW		



Product Model : 6812Magic Pixel RGBW SMD Led Strip			
Voltage	DC 5V	LED Chips	5050
Power	0.24W	Quantity	60leds
Brightness	6812	PCB	Double pcb
Beam Angle	120	CRI	/
Waterproof Rating	IP20/IP65/IP67	Size	10mm
Colors (optional)	RGBW/RGBWW		



Product Model : 6812Magic Pixel RGBW SMD Led Strip			
Voltage	DC 5V	LED Chips	5050
Power	0.24W	Quantity	96leds
Brightness	6812	PCB	Double pcb
Beam Angle	120	CRI	/
Waterproof Rating	IP20/IP65/IP67	Size	10mm
Colors (optional)	RGBW/RGBWW		



Product Model : 6812Magic Pixel RGBW SMD Led Strip			
Voltage	DC 5V	LED Chips	5050
Power	0.24W	Quantity	144leds
Brightness	6812	PCB	Double pcb
Beam Angle	120	CRI	/
Waterproof Rating	IP20/IP65/IP67	Size	12mm
Colors (optional)	RGBW/RGBWW		



Product Model : DMX512Magic Pixel RGB SMD Led Strip			
Voltage	DC 24V	LED Chips	5050
Power	0.24W	Quantity	60leds
Brightness	DMX512	PCB	Double pcb
Beam Angle	120	CRI	/
Waterproof Rating	IP20/IP65/IP67	Size	12mm
Colors (optional)	RGB 512IC		



Product Model : DMX512Magic Pixel RGBW SMD Led Strip			
Voltage	DC 24V	LED Chips	5050
Power	0.24W	Quantity	60leds
Brightness	DMX512	PCB	Double pcb
Beam Angle	120	CRI	/
Waterproof Rating	IP20/IP65/IP67	Size	12mm
Colors (optional)	RGBW 512IC		