

25*25 mm Neon Led Strip




Product Name : 25*25mm Neon Led Strip			
Product Voltage	DC 24V	Product Power	14.4 W/m (customisable power)
Product Dimensions	1000*25*25 mm	Colour Rendering Index	80~90+
LED Chips	2835 LEDs 180 per meter (5050 LEDs 60 per meter)		

30*20 mm Neon Led Strip




Product Name : 30*20mm Neon Led Strip			
Product Voltage	DC 12V / 24V	Product Power	12-16 W/m (customisable power)
Product Dimensions	1000*30*20 mm	Colour Rendering Index	80~90+
LED Chips	2835 LEDs 240/276 LEDs/meter		

20*20 mm Neon Led Strip




Product Name : 20*20mm Neon Led Strip			
Product Voltage	DC 12V / 24V	Product Power	7.2 W/m (customisable power)
Product Dimensions	1000*20*20 mm	Colour Rendering Index	80~90+
LED Chips	512 RGB LEDs 60 LEDs/metre (2835 LEDs 120 LEDs/metre)		

16*16 mm Neon Led Strip




Product Name : 16*16mm Neon Led Strip			
Product Voltage	DC 12V / 24V	Product Power	7.2 W/m (customisable power)
Product Dimensions	1000*20*20 mm	Colour Rendering Index	80~90+
LED Chips	5050 LEDs 60 LEDs/meter (2835 LEDs 120 LEDs/meter)		

12*12 mm Neon Led Strip




Product Name : 12*12mm Neon Led Strip			
Product Voltage	DC 12V / 24V	Product Power	7.2 W/m (customisable power)
Product Dimensions	1000*12*12 mm	Colour Rendering Index	90+
LED Chips	2835 LEDs 120 LEDs per meter		

25*25 mm Neon Led Strip




Product Name : 25*25mm Neon Led Strip			
Product Voltage	DC 24V	Product Power	14.4 W/m (customisable power)
Product Dimensions	1000*25*25 mm	Colour Rendering Index	90+
LED Chips	2835 LEDs 360 LEDs per meter		

16*16 mm Neon Led Strip




Product Name : 16*16mm Neon Led Strip			
Product Voltage	DC 12V / 24V	Product Power	24 W/m (customisable power)
Product Dimensions	1000*16*16 mm	Colour Rendering Index	90+
LED Chips	2835 LEDs 336 LEDs per meter		

10*10 mm Neon Led Strip




Product Name : 10*10mm Neon Led Strip			
Product Voltage	DC 3.7V / 4.2V	Product Power	7.2 W/m (customisable power)
Product Dimensions	1000*10*10 mm	Colour Rendering Index	90+
LED Chips	2835 LEDs 120 LEDs per meter		

20*18 mm Neon Led Strip




Product Name : 20*18mm Neon Led Strip			
Product Voltage	DC 12V / 24V	Product Power	8 W/m (customisable power)
Product Dimensions	1000*20*18 mm	Colour Rendering Index	80~90+
LED Chips	2835 LEDs 120 LEDs per meter (2835 LEDs 144 LEDs per meter)		

08*16 mm Neon Led Strip




Product Name : 08*16mm Neon Led Strip			
Product Voltage	DC 12V / 24V	Product Power	7.2 W/m (customisable power)
Product Dimensions	1000*08*16 mm	Colour Rendering Index	80~90+
LED Chips	2835 LEDs 120 LEDs per meter (5050 LEDs 78/84 LEDs per meter)		

06*16 mm Neon Led Strip



Product Name : 06*16mm Neon Led Strip			
Product Voltage	DC 12V / 24V	Product Power	7.2 W/m (customisable power)
Product Dimensions	1000*06*16 mm	Colour Rendering Index	80~90+
LED Chips	2835 LEDs 120 LEDs per meter		

06*13 mm Neon Led Strip




Product Name : 06*13mm Neon Led Strip			
Product Voltage	DC 12V / 24V	Product Power	8 W/m (customisable power)
Product Dimensions	1000*06*13 mm	Colour Rendering Index	80~90+
LED Chips	2835 LEDs 120 LEDs per meter		

04*10 mm Neon Led Strip




Product Name : 04*10mm Neon Led Strip			
Product Voltage	DC 12V / 24V	Product Power	7.2 W/m (customisable power)
Product Dimensions	1000*04*10 mm	Colour Rendering Index	80~90+
LED Chips	2835 LEDs 168 LEDs per meter		

20*18 mm Neon Led Strip




Product Name : 20*18mm Neon Led Strip			
Product Voltage	DC 12V / 24V	Product Power	8 W/m (customisable power)
Product Dimensions	1000*20*18 mm	Colour Rendering Index	80~90+
LED Chips	2835 LEDs 120 LEDs per meter		

15*13 mm Neon Led Strip



Product Name : 15*13mm Neon Led Strip			
Product Voltage	DC 12V / 24V	Product Power	7.2 W/m (customisable power)
Product Dimensions	1000*15*13 mm	Colour Rendering Index	80~90+
LED Chips	2835 LEDs 144 LEDs per meter (2835 LEDs 180 LEDs per meter)		

13*11 mm Neon Led Strip



Product Name : 13*11mm Neon Led Strip			
Product Voltage	DC 12V / 24V	Product Power	10 W/m (customisable power)
Product Dimensions	1000*13*11 mm	Colour Rendering Index	80~90+
LED Chips	2835 LEDs 180 LEDs per meter		

15*25 mm Neon Led Strip



Product Name : 15*25mm Neon Led Strip			
Product Voltage	DC 12V / 24V	Product Power	7.2 W/m (customisable power)
Product Dimensions	1000*15*25 mm	Colour Rendering Index	80~90+
LED Chips	2835 LEDs 120 LEDs per meter (2835 LEDs 144 LEDs per meter)		

12*25 mm Neon Led Strip




Product Name : 12*25mm Neon Led Strip			
Product Voltage	DC 12V / 24V	Product Power	7.2 W/m (customisable power)
Product Dimensions	1000*12*25 mm	Colour Rendering Index	80~90+
LED Chips	2835 LEDs 120 LEDs per meter (2835 LEDs 144 LEDs per meter)		

12*22 mm Neon Led Strip




Product Name : 12*22mm Neon Led Strip			
Product Voltage	DC 12V / 24V	Product Power	7.2 W/m (customisable power)
Product Dimensions	1000*12*22 mm	Colour Rendering Index	80~90+
LED Chips	2835 LEDs 120 LEDs per meter (2835 LEDs 144 LEDs per meter)		

10*20 mm Neon Led Strip



Product Name : 10*20mm Neon Led Strip			
Product Voltage	DC 12V / 24V	Product Power	7.2 W/m (customisable power)
Product Dimensions	1000*10*22 mm	Colour Rendering Index	80~90+
LED Chips	2835 LEDs 120 LEDs per meter		


08*17 mm Neon Led Strip



Product Name : 08*17mm Neon Led Strip			
Product Voltage	DC 12V / 24V	Product Power	7.2 W/m (customisable power)
Product Dimensions	1000*08*17 mm	Colour Rendering Index	80~90+
LED Chips	2835 LEDs 120 LEDs per meter		

Shenzhen Senfey Lighting Technology Co., Ltd.
Neon Led Strip Series


6*6 mm Top Lighting






PCB Width(mm)	3
Cross-section Size(mm)	6*6
Colors	CW / NW / WW (Optional)
Waterproof	IP68
Beam Angle	180°


8*8 mm Top Lighting





PCB Width(mm)	5
Cross-section Size(mm)	8*8
Colors	CW / NW / WW (Optional)
Waterproof	IP68
Beam Angle	120°


10*10 mm Top Lighting






PCB Width(mm)	5
Cross-section Size(mm)	10*10
Colors	CW / NW / WW (Optional)
Waterproof	IP68
Beam Angle	120°


14*14 mm Top Lighting






PCB Width(mm)	10
Cross-section Size(mm)	14*14
Colors	CW / NW / WW (Optional)
Waterproof	IP68
Beam Angle	120°


15*15 mm Top Lighting






PCB Width(mm)	10
Cross-section Size(mm)	15*15
Colors	CW / NW / WW (Optional)
Waterproof	IP68
Beam Angle	120°


13*13 mm 360° Emitting





PCB Width(mm)	5/8
Cross-section Size(mm)	13*13
Colors	CW / NW / WW (Optional)
Waterproof	IP68
Beam Angle	360°


18*18 mm 360° Emitting





PCB Width(mm)	8
Cross-section Size(mm)	18*18
Colors	CW / NW / WW (Optional)
Waterproof	IP68
Beam Angle	360°


20*20 mm 360° Emitting





PCB Width(mm)	8
Cross-section Size(mm)	20*20
Colors	CW / NW / WW (Optional)
Waterproof	IP68
Beam Angle	360°


22*22 mm 360° Emitting





PCB Width(mm)	8
Cross-section Size(mm)	22*22
Colors	CW / NW / WW (Optional)
Waterproof	IP68
Beam Angle	360°


30*30 mm 360° Emitting





PCB Width(mm)	10
Cross-section Size(mm)	30*30
Colors	CW / NW / WW (Optional)
Waterproof	IP68
Beam Angle	360°


40*40 mm 360° Emitting





PCB Width(mm)	10
Cross-section Size(mm)	40*40
Colors	CW / NW / WW (Optional)
Waterproof	IP68
Beam Angle	360°


50*50 mm 360° Emitting






PCB Width(mm)	12
Cross-section Size(mm)	50*50
Colors	CW / NW / WW (Optional)
Waterproof	IP68
Beam Angle	360°


13*13 mm Top Lighting





PCB Width(mm)	5
Cross-section Size(mm)	13*13
Colors	CW / NW / WW (Optional)
Waterproof	IP68
Beam Angle	270°


20*20 mm Top Lighting





PCB Width(mm)	10
Cross-section Size(mm)	20*20
Colors	CW / NW / WW (Optional)
Waterproof	IP68
Beam Angle	270°


18*18 mm 360° Emitting





PCB Width(mm)	8
Cross-section Size(mm)	18*18
Colors	CW / NW / WW (Optional)
Waterproof	IP68
Beam Angle	360°


10*10 mm Top Lighting






PCB Width(mm)	5
Cross-section Size(mm)	10*10
Colors	CW / NW / WW (Optional)
Waterproof	IP68
Beam Angle	180°


13*13 mm Top Lighting





PCB Width(mm)	8
Cross-section Size(mm)	13*13
Colors	CW / NW / WW (Optional)
Waterproof	IP68
Beam Angle	180°


13*15 mm Top Lighting





PCB Width(mm)	10
Cross-section Size(mm)	13*15
Colors	CW / NW / WW (Optional)
Waterproof	IP68
Beam Angle	180°


V22*14 mm Top Lighting






PCB Width(mm)	5
Cross-section Size(mm)	22*14
Colors	CW / NW / WW (Optional)
Waterproof	IP68
Beam Angle	120°


5*11 mm Top Lighting






PCB Width(mm)	8
Cross-section Size(mm)	5*11
Colors	CW / NW / WW (Optional)
Waterproof	IP68
Beam Angle	120°


5*13 mm Top Lighting






PCB Width(mm)	10
Cross-section Size(mm)	5*13
Colors	CW / NW / WW (Optional)
Waterproof	IP68
Beam Angle	120°


5*15 mm Top Lighting





PCB Width(mm)	12
Cross-section Size(mm)	5*15
Colors	CW / NW / WW (Optional)
Waterproof	IP68
Beam Angle	120°


6*11 mm Top Lighting






PCB Width(mm)	8
Cross-section Size(mm)	6*11
Colors	CW / NW / WW (Optional)
Waterproof	IP68
Beam Angle	120°


10*10 mm Top Lighting






PCB Width(mm)	5
Cross-section Size(mm)	10*10
Colors	CW / NW / WW (Optional)
Waterproof	IP68
Beam Angle	120°


15*10 mm Top Lighting






PCB Width(mm)	10
Cross-section Size(mm)	15*10
Colors	CW / NW / WW (Optional)
Waterproof	IP68
Beam Angle	120°


20*10 mm Top Lighting





PCB Width(mm)	10/12
Cross-section Size(mm)	20*10
Colors	CW / NW / WW (Optional)
Waterproof	IP68
Beam Angle	120°


20*14 mm Top Lighting






PCB Width(mm)	10
Cross-section Size(mm)	20*14
Colors	CW / NW / WW (Optional)
Waterproof	IP68
Beam Angle	120°


20*16 mm Top Lighting





PCB Width(mm)	10
Cross-section Size(mm)	20*16
Colors	CW / NW / WW (Optional)
Waterproof	IP68
Beam Angle	180°


25*17 mm Top Lighting






PCB Width(mm)	15
Cross-section Size(mm)	25*17
Colors	CW / NW / WW (Optional)
Waterproof	IP68
Beam Angle	120°


27*20 mm Top Lighting





PCB Width(mm)	15
Cross-section Size(mm)	27*20
Colors	CW / NW / WW (Optional)
Waterproof	IP68
Beam Angle	120°


40*25 mm Top Lighting





PCB Width(mm)	20
Cross-section Size(mm)	40*25
Colors	CW / NW / WW (Optional)
Waterproof	IP68
Beam Angle	120°


50*25 mm Top Lighting






PCB Width(mm)	20
Cross-section Size(mm)	50*25
Colors	CW / NW / WW (Optional)
Waterproof	IP68
Beam Angle	120°


70*30 mm Top Lighting






PCB Width(mm)	30
Cross-section Size(mm)	70*30
Colors	CW / NW / WW (Optional)
Waterproof	IP68
Beam Angle	120°


100*30 mm Top Lighting






PCB Width(mm)	10/12
Cross-section Size(mm)	100*30
Colors	CW / NW / WW (Optional)
Waterproof	IP68
Beam Angle	120°


6*12 mm Side Lighting





PCB Width(mm)	8
Cross-section Size(mm)	6*12
Colors	CW / NW / WW (Optional)
Waterproof	IP68
Beam Angle	120°


4*7 mm Side Lighting






PCB Width(mm)	5
Cross-section Size(mm)	4*7
Colors	CW / NW / WW (Optional)
Waterproof	IP68
Beam Angle	120°


6*12 mm Side Lighting






PCB Width(mm)	8
Cross-section Size(mm)	6*12
Colors	CW / NW / WW (Optional)
Waterproof	IP68
Beam Angle	120°


8*15 mm Side Lighting






PCB Width(mm)	10
Cross-section Size(mm)	8*15
Colors	CW / NW / WW (Optional)
Waterproof	IP68
Beam Angle	120°


10*18 mm Side Lighting






PCB Width(mm)	6/8/10
Cross-section Size(mm)	10*18
Colors	CW / NW / WW (Optional)
Waterproof	IP68
Beam Angle	120°


10*20 mm Side Lighting





PCB Width(mm)	6/8/10/12
Cross-section Size(mm)	10*20
Colors	CW / NW / WW (Optional)
Waterproof	IP68
Beam Angle	120°


12*20 mm Side Lighting






PCB Width(mm)	10
Cross-section Size(mm)	12*20
Colors	CW / NW / WW (Optional)
Waterproof	IP68
Beam Angle	120°

30*32 mm Side Lighting






PCB Width(mm)	12/15
Cross-section Size(mm)	30*32
Colors	CW / NW / WW (Optional)
Waterproof	IP68
Beam Angle	120°



Product Name	6mm split neon tube
Size	6*9mm
Colors	W / R / G / B / IB / O / PP / PK / RR / LY / Y (optional)



Product Name	8mm split neon tube
Size	8*9mm
Colors	W / R / G / B / IB / O / PP / PK / RR / LY / Y (optional)





Product Name	S shape Led Strip
Voltage	DC12V
Width	6mm （3leds/cut)
Power	7.2W/M
CRI	80-90
Colors	W / R / G / B / IB / O / PP / PK / RR / LY / Y (optional)
Usage	Suitable split neon tube


Product Name	S shape Led Strip
Voltage	DC12V
Width	6mm （1leds/cut)
Power	7.2W/M
CRI	80-90
Colors	W / R / G / B / IB / O / PP / PK / RR / LY / Y (optional)
Usage	Suitable split neon tube



Neon Sign



Round Shape



Head Bend




Mirror Acrylic




Dream Color




Mirror Acrylic




Acrylic Case




Engrave Acrylic



Infinity Case



Acrylic Stand



UV Print



5V USB



Hollow Out Sign



Cut to Letter Sign



None Base Sign




Metal Acrylic Sign



Metal & UV Sign



UV Backlit Sign




Front Side Light



Backside Light




Light Box



Infinity Box



Magic Infinity Box



Qpen Infinity Box