

Product Model : SP321E	
Product Name	MESH Group&Sync 1CH PWM Single Color LED Controller
Data Type	PWM
Max Output Current Channel	6A
Max Output Current Full Unit	12A



Product Model : SP322E	
Product Name	MESH Group&Sync 2CH PWM CCTLED Controller
Data Type	PWM
Max Output Current Channel	6A
Max Output Current Full Unit	12A



Product Model : SP323E	
Product Name	MESH Group&Sync 3CH PWM RGBLED Controller
Data Type	PWM
Max Output Current Channel	6A
Max Output Current Full Unit	12A



Product Model : SP324E	
Product Name	MESH Group&Sync 4CH PWM RGBWLED Controller
Data Type	PWM
Max Output Current Channel	6A
Max Output Current Full Unit	12A



Product Model : SP325E	
Product Name	MESH Group&Sync 5CH PWM RGBCCTLED Controller
Data Type	PWM
Max Output Current Channel	6A
Max Output Current Full Unit	12A



Product Model : SP328E	
Product Name	MESH Group&Sync SPI RGB LED Controller
Data Type	SPI
IC Type	Supports regular resettable single-wire 3-ch LED drive ICs
Pixel Count	900



Product Model : SP311E	
Product Name	MESH Group 1CH PWM Single Color LED Controller
Data Type	PWM
Max Output Current Channel	/
Max Output Current Full Unit	4A



Product Model : SP312E	
Product Name	MESH Group 2CH PWM CCT LED Controller
Data Type	PWM
Max Output Current Channel	2A
Max Output Current Full Unit	/



Product Model : SP313E	
Product Name	MESH Group 3CH PWM RGB LED Controller
Data Type	PWM
Max Output Current Channel	2A
Max Output Current Full Unit	6A



Product Model : SP314E	
Product Name	MESH Group 4CH PWM RGBW LED Controller
Data Type	PWM
Max Output Current Channel	2A
Max Output Current Full Unit	6A



Product Model : SP315E	
Product Name	MESH Group 5CH PWM RGBCCT LED Controller
Data Type	PWM
Max Output Current Channel	2A
Max Output Current Full Unit	6A



Product Model : SP318E	
Product Name	MESH Group SPI RGB LED Controller
Data Type	SPI
IC Type	Supports regular resettable single-wire 3-ch LED drive ICs
Pixel Count	900



Product Model : SP531E	
Product Name	1CH PWM Single Color IoT LED Controller
Data Type	PWM
Max Output Current Channel	6A
Max Output Current Full Unit	12A



Product Model : SP532E	
Product Name	2CH PWM CCT IoT LED Controller
Data Type	PWM
Max Output Current Channel	6A
Max Output Current Full Unit	12A



Product Model : SP533E	
Product Name	3CH PWM RGB IoT LED Controller
Data Type	PWM
Max Output Current Channel	6A
Max Output Current Full Unit	12A



Product Model : SP534E	
Product Name	4CH PWM RGBW IoT LED Controller
Data Type	PWM
Max Output Current Channel	6A
Max Output Current Full Unit	12A



Product Model : SP535E	
Product Name	5CH PWM RGBCCT IoT LED Controller
Data Type	PWM
Max Output Current Channel	6A
Max Output Current Full Unit	12A



Product Model : SP536E	
Product Name	SPI Single Color IoT LED Controller
Data Type	SPI
IC Type	Supports Regular Resettable Single-Wire LED Drive IC
Pixel Count	3600



Product Model : SP537E	
Product Name	SPI CCT IoT LED Controller
Data Type	SPI
IC Type	Supports Regular Resettable Single-Wire LED Drive IC
Pixel Count	1200/1800



Product Model : SP538E	
Product Name	SPI RGB IoT LED Controller
Data Type	SPI
IC Type	Supports regular resettable single-wire 3-ch LED drive ICs
Pixel Count	1200



Product Model : SP539E	
Product Name	SPI RGBW IoT LED Controller
Data Type	SPI
IC Type	Supports regular resettable single-wire 4-ch LED drive ICs
Pixel Count	900



Product Model : SP53AE	
Product Name	SPI RGBCCT IoT LED Controller
Data Type	SPI
IC Type	Supports regular resettable single-wire 5or6-ch LED drive ICs
Pixel Count	720/600



Product Model : SP53BE	
Product Name	SPI RGB+1CH PWM Single Color IoT LED Controller
Data Type	SPI+1CH PWM Single Color
IC Type	Supports regular resettable single-wire 3-ch LED drive ICs
Pixel Count	1200



Product Model : SP53CE	
Product Name	SPI RGB+2CH PWM CCT IoT LED Controller
Data Type	SPI+2CH PWM CCT
IC Type	Supports regular resettable single-wire 3-ch LED drive ICs
Pixel Count	1200



Product Model : SP541E	
Product Name	ICH PWM Single Color IoT LED Controller
Data Type	PWM
Max Output Current Channel	/
Max Output Current Full Unit	4A



Product Model : SP542E	
Product Name	2CH PWM CCT IoT LED Controller
Data Type	PWM
Max Output Current Channel	2A
Max Output Current Full Unit	/



Product Model : SP543E	
Product Name	3CH PWM RGB IoT LED Controller
Data Type	PWM
Max Output Current Channel	2A
Max Output Current Full Unit	6A



Product Model : SP544E	
Product Name	4CH PWM RGBW IoT LED Controller
Data Type	PWM
Max Output Current Channel	2A
Max Output Current Full Unit	6A



Product Model : SP545E	
Product Name	5CH PWM RGBCCT IoT LED Controller
Data Type	PWM
Max Output Current Channel	2A
Max Output Current Full Unit	6A



Product Model : SP546E	
Product Name	SPI Single Color IoT LED Controller
Data Type	SPI
IC Type	Supports Regular Resettable Single-Wire LED Drive IC
Pixel Count	3600



Product Model : SP547E	
Product Name	SPI CCT IoT LED Controller
Data Type	SPI
IC Type	Supports Regular Resettable Single-Wire LED Drive IC
Pixel Count	1200/1800



Product Model : SP548E	
Product Name	SPI RGB IoT LED Controller
Data Type	SPI
IC Type	Supports regular resettable single-wire 3-ch LED drive ICs
Pixel Count	1200



Product Model : SP549E	
Product Name	SPI RGBW IoT LED Controller
Data Type	SPI
IC Type	Supports regular resettable single-wire 4-ch LED drive ICs
Pixel Count	900



Product Model : SP54AE	
Product Name	SPI RGBCCT IoT LED Controller
Data Type	SPI
IC Type	Supports regular resettable single-wire 5or6-ch LED drive ICs
Pixel Count	720/600



Product Model : SP54BE	
Product Name	SPI RGB+1CH PWM Single Color IoT LED Controller
Data Type	SPI+1CH PWM Single Color
IC Type	Supports regular resettable single-wire 3-ch LED drive ICs
Pixel Count	1200



Product Model : SP54CE	
Product Name	SPI RGB+2CH PWM CCT IoT LED Controller
Data Type	SPI+2CH PWM CCT
IC Type	Supports regular resettable single-wire 3-ch LED drive ICs
Pixel Count	1200



Product Model : SP521E	
Product Name	ICH PWM Single Color IoT LED Controller
Data Type	PWM
Max Output Current Channel	/
Max Output Current Full Unit	4A



Product Model : SP522E	
Product Name	2CH PWM CCT IoT LED Controller
Data Type	PWM
Max Output Current Channel	2A
Max Output Current Full Unit	/



Product Model : SP523E	
Product Name	3CH PWM RGB IoT LED Controller
Data Type	PWM
Max Output Current Channel	2A
Max Output Current Full Unit	6A



Product Model : SP524E	
Product Name	4CH PWM RGBW IoT LED Controller
Data Type	PWM
Max Output Current Channel	2A
Max Output Current Full Unit	6A



Product Model : SP525E	
Product Name	5CH PWM RGBCCT IoT LED Controller
Data Type	PWM
Max Output Current Channel	2A
Max Output Current Full Unit	6A



Product Model : SP526E	
Product Name	SPI Single Color IoT LED Controller
Data Type	SPI
IC Type	Supports Regular Resettable Single-Wire LED Drive IC
Pixel Count	3600



Product Model : SP527E	
Product Name	SPI CCT IoT LED Controller
Data Type	SPI
IC Type	Supports Regular Resettable Single-Wire LED Drive IC
Pixel Count	1200/1800



Product Model : SP528E	
Product Name	SPI RGB IoT LED Controller
Data Type	SPI
IC Type	Supports regular resettable single-wire 3-ch LED drive ICs
Pixel Count	1200



Product Model : SP529E	
Product Name	SPI RGBW IoT LED Controller
Data Type	SPI
IC Type	Supports regular resettable single-wire 4-ch LED drive ICs
Pixel Count	900



Product Model : SP52AE	
Product Name	SPI RGBCCT IoT LED Controller
Data Type	SPI
IC Type	Supports regular resettable single-wire 5or6-ch LED drive ICs
Pixel Count	720/600



Product Model : SP52BE	
Product Name	SPI RGB+1CH PWM Single Color IoT LED Controller
Data Type	SPI+1CH PWM Single Color
IC Type	Supports regular resettable single-wire 3-ch LED drive ICs
Pixel Count	1200



Product Model : SP52CE	
Product Name	SPI RGB+2CH PWM CCT IoT LED Controller
Data Type	SPI+2CH PWM CCT
IC Type	Supports regular resettable single-wire 3-ch LED drive ICs
Pixel Count	1200



Product Model : SP631E	
Product Name	1CH PWM Single Color LED Controller
Data Type	PWM
Max Output Current Channel	6A
Max Output Current Full Unit	12A



Product Model : SP632E	
Product Name	2CH PWM CCT LED Controller
Data Type	PWM
Max Output Current Channel	6A
Max Output Current Full Unit	12A



Product Model : SP633E	
Product Name	3CH PWM RGB LED Controller
Data Type	PWM
Max Output Current Channel	6A
Max Output Current Full Unit	12A



Product Model : SP634E	
Product Name	4CH PWM RGBW LED Controller
Data Type	PWM
Max Output Current Channel	6A
Max Output Current Full Unit	12A



Product Model : SP635E	
Product Name	5CH PWM RGBCCT LED Controller
Data Type	PWM
Max Output Current Channel	6A
Max Output Current Full Unit	12A



Product Model : SP636E	
Product Name	SPI Single Color LED Controller
Data Type	SPI
IC Type	Supports Regular Resettable Single-Wire LED Drive IC
Pixel Count	1800



Product Model : SP637E	
Product Name	SPI CCT LED Controller
Data Type	SPI
IC Type	Supports Regular Resettable Single-Wire LED Drive IC
Pixel Count	600/900



Product Model : SP638E	
Product Name	SPI RGB LED Controller
Data Type	SPI
IC Type	Supports regular resettable single-wire 3-ch LED drive ICs
Pixel Count	600



Product Model : SP639E	
Product Name	SPI RGBW LED Controller
Data Type	SPI
IC Type	Supports regular resettable single-wire 4-ch LED drive ICs
Pixel Count	450



Product Model : SP63AE	
Product Name	SPI RGBCCT LED Controller
Data Type	SPI
IC Type	Supports regular resettable single-wire 5or6-ch LED drive ICs
Pixel Count	360/300



Product Model : SP63BE	
Product Name	SPI RGB+1CH PWM Single Color LED Controller
Data Type	SPI+1CH PWM Single Color
IC Type	Supports regular resettable single-wire 3-ch LED drive ICs
Pixel Count	600



Product Model : SP63CE	
Product Name	SPI RGB+2CH PWM CCT LED Controller
Data Type	SPI+2CH PWM CCT
IC Type	Supports regular resettable single-wire 3-ch LED drive ICs
Pixel Count	600



Product Model : SP641E	
Product Name	1CH PWM Single Color LED Controller
Data Type	PWM
Max Output Current Channel	/
Max Output Current Full Unit	4A



Product Model : SP642E	
Product Name	2CH PWM CCT LED Controller
Data Type	PWM
Max Output Current Channel	2A
Max Output Current Full Unit	/



Product Model : SP643E	
Product Name	3CH PWM RGB LED Controller
Data Type	PWM
Max Output Current Channel	2A
Max Output Current Full Unit	6A



Product Model : SP644E	
Product Name	4CH PWM RGBW LED Controller
Data Type	PWM
Max Output Current Channel	2A
Max Output Current Full Unit	6A



Product Model : SP645E	
Product Name	5CH PWM RGBCCT LED Controller
Data Type	PWM
Max Output Current Channel	2A
Max Output Current Full Unit	6A



Product Model : SP646E	
Product Name	SPI Single Color LED Controller
Data Type	SPI
IC Type	Supports Regular Resettable Single-Wire LED Drive IC
Pixel Count	1800



Product Model : SP647E	
Product Name	SPI CCT LED Controller
Data Type	SPI
IC Type	Supports Regular Resettable Single-Wire LED Drive IC
Pixel Count	600/900



Product Model : SP648E	
Product Name	SPI RGB LED Controller
Data Type	SPI
IC Type	Supports regular resettable single-wire 3-ch LED drive ICs
Pixel Count	600



Product Model : SP649E	
Product Name	SPI RGBW LED Controller
Data Type	SPI
IC Type	Supports regular resettable single-wire 4-ch LED drive ICs
Pixel Count	450



Product Model : SP64AE	
Product Name	SPI RGBCCT LED Controller
Data Type	SPI
IC Type	Supports regular resettable single-wire 5or6-ch LED drive ICs
Pixel Count	360/300



Product Model : SP64BE	
Product Name	SPI RGB+1CH PWM Single Color LED Controller
Data Type	SPI+1CH PWM Single Color
IC Type	Supports regular resettable single-wire 3-ch LED drive ICs
Pixel Count	600



Product Model : SP64CE	
Product Name	SPI RGB+2CH PWM CCT LED Controller
Data Type	SPI+2CH PWM CCT
IC Type	Supports regular resettable single-wire 3-ch LED drive ICs
Pixel Count	600



Product Model : SP661E	
Product Name	1CH PWM Single Color LED Controller
Data Type	PWM
Max Output Current Channel	/
Max Output Current Full Unit	4A



Product Model : SP662E	
Product Name	2CH PWM CCT LED Controller
Data Type	PWM
Max Output Current Channel	2A
Max Output Current Full Unit	/



Product Model : SP663E	
Product Name	3CH PWM RGB LED Controller
Data Type	PWM
Max Output Current Channel	2A
Max Output Current Full Unit	6A



Product Model : SP664E	
Product Name	4CH PWM RGBW LED Controller
Data Type	PWM
Max Output Current Channel	2A
Max Output Current Full Unit	6A



Product Model : SP665E	
Product Name	5CH PWM RGBCCT LED Controller
Data Type	PWM
Max Output Current Channel	2A
Max Output Current Full Unit	6A



Product Model : SP668E	
Product Name	SPI RGB LED Controller
Data Type	SPI
IC Type	Supports Regular Resettable Single-Wire LED Drive IC
Pixel Count	600



Product Model : SP551E	
Product Name	WiFi&BT 1CH PWM Single Color LED Controller
Data Type	PWM
Max Output Current Channel	6A
Max Output Curent Full Unit	12A



Product Model : SP552E	
Product Name	WiFi&BT 2CH PWM CCT LED Controller
Data Type	PWM
Max Output Current Channel	6A
Max Output Curent Full Unit	12A



Product Model : SP553E	
Product Name	WiFi&BT 3CH PWM RGB LED Controller
Data Type	PWM
Max Output Current Channel	6A
Max Output Curent Full Unit	12A



Product Model : SP554E	
Product Name	WiFi&BT 4CH PWM RGBW LED Controller
Data Type	PWM
Max Output Current Channel	6A
Max Output Curent Full Unit	12A



Product Model : SP555E	
Product Name	WiFi&BT 5CH PWM RGBCCT LED Controller
Data Type	PWM
Max Output Current Channel	6A
Max Output Curent Full Unit	12A



Product Model : SP556E	
Product Name	WiFi&BT SPI Single Color LED Controller
Data Type	SPI
Max Output Current Channel	Supports Regular Resettable Single-Wire LED Drive IC
Max Output Curent Full Unit	3000



Product Model : SP557E	
Product Name	WiFi&BT SPI CCT LED Controller
Data Type	SPI
IC Type	Supports Regular Resettable Single-Wire LED Drive IC
Pixel Count	1000/1500



Product Model : SP558E	
Product Name	WiFi&BT SPI RGB LED Controller
Data Type	SPI
IC Type	Supports regular resettable single-wire 3-ch LED drive ICs
Pixel Count	1000



Product Model : SP559E	
Product Name	WiFi&BT SPI RGBW LED Controller
Data Type	SPI
IC Type	Supports regular resettable single-wire 4-ch LED drive ICs
Pixel Count	750



Product Model : SP55AE	
Product Name	WiFi&BT SPI RGBCCT LED Controller
Data Type	SPI
IC Type	Supports regular resettable single-wire 5or6-ch LED drive ICs
Pixel Count	600/500



Product Model : SP55BE	
Product Name	WiFi&BT SPI RGB+1CH PWM Single Color LED Controller
Data Type	SPI+1CH PWM Single Color
IC Type	Supports regular resettable single-wire 3-ch LED drive ICs
Pixel Count	1000



Product Model : SP55CE	
Product Name	WiFi&BT SPI RGB+2CH PWM CCT LED Controller
Data Type	SPI+2CH PWM CCT
IC Type	Supports regular resettable single-wire 3-ch LED drive ICs
Pixel Count	1000



Product Model : SP651E	
Product Name	ICH PWM Single Color LED Controller
Data Type	PWM
Max Output Current Channel	6A
Max Output Curent Full Unit	12A



Product Model : SP652E	
Product Name	2CH PWM CCT LED Controller
Data Type	PWM
Max Output Current Channel	6A
Max Output Curent Full Unit	12A



Product Model : SP656E	
Product Name	SPI Single Color LED Controller
Data Type	SPI
IC Type	Supports Regular Resettable Single-Wire LED DriveIC
Pixel Count	600



Product Model : SP657E	
Product Name	SPI CCT LED Controller
Data Type	SPI
IC Type	Supports Regular Resettable Single-Wire LED DriveIC
Pixel Count	600



Product Model : SP658E	
Product Name	SPI RGB LED Controller
Data Type	SPI
IC Type	Supports regular resettable single-wire 3-ch LED drive ICs
Pixel Count	600



Product Model : SP659E	
Product Name	SPI RGBW LED Controller
Data Type	SPI
IC Type	Supports regular resettable single-wire 4-ch LED drive ICs
Pixel Count	450



Product Model : SP111E	
Product Name	ICH PWM Single Color RFLED Controller
Data Type	PWM
Max Output Current Channel	/
Max Output Curent Full Unit	4A



Product Model : SP112E	
Product Name	2CH PWM CCT RF LED Controller
Data Type	PWM
Max Output Current Channel	2A
Max Output Curent Full Unit	/



Product Model : SP113E	
Product Name	3CH PWM RGB RF LED Controller
Data Type	PWM
Max Output Current Channel	2A
Max Output Current Full Unit	6A



Product Model : SP114E	
Product Name	4CH PWM RGBW RF LED Controller
Data Type	PWM
Max Output Current Channel	2A
Max Output Current Full Unit	6A



Product Model : SP115E	
Product Name	5CH PWM RGBCCT RF LED Controller
Data Type	PWM
Max Output Current Channel	2A
Max Output Current Full Unit	6A



Product Model : SP601E			
Product Name	Dual-Signal LED Ctrl	Working Voltage	5V-24V DC
APP	BanlanX	Music Mode	Built-in Mic
Remote Control	16-Key RF Remote	Buttons	3 Buttons
Output Method	1-Out Wired, 2 Indep. Ch	Trigger	None
Supported Driver IC	RZ Single-Wire LED Driver	Pixel Count	600*2



Product Model : SP602E			
Product Name	BT RF 4-Ch LED Ctrl	Working Voltage	5V-24V DC
APP	BanlanX	Music Mode	Built-in Mic & Audio Jack
Remote Control	16-Key RF Remote	Buttons	None
Output Method	Terminal, 4 Indep. Ch	Trigger	4
Supported Driver IC	RZ Single-Wire LED Driver	Pixel Count	600*4



Product Model : SP608E			
Product Name	BT RF 8-Ch LED Ctrl	Working Voltage	5V-24V DC
APP	BanlanX	Music Mode	Built-in Mic & Audio Jack
Remote Control	16-Key RF Remote	Buttons	None
Output Method	Terminal, 8 Indep. Ch	Trigger	4
Supported Driver IC	RZ Single-Wire LED Driver	Pixel Count	600*8



Product Model : SP611E			
Product Name	BT Music LED Ctrl	Working Voltage	5V-24V DC
APP	BanlanX	Music Mode	Dual Mic, Audio Stream
Remote Control	38-Key RF Remote	Buttons	3 Buttons
Output Method	1/2-Out Wired	Output Signal	SPI
Supported Driver IC	RZ Single-Wire LED IC	Pixel Count	600



Product Model : SP617E			
Product Name	BT Music LED Ctrl(RGBW)	Working Voltage	5V-24V DC
APP	BanlanX	Music Mode	Dual Mic, Audio Stream
Remote Control	38-Key RF Remote	Buttons	3 Buttons
Output Method	1/2-Out Wired	Output Signal	SPI
Supported Driver IC	4-Ch Resettable LED ICs	Pixel Count	450



Product Model : SP613E			
Product Name	BT Music PWM RGB Ctrl	Working Voltage	5V-24V DC
APP	BanlanX	Music Mode	Dual Mic, Audio Stream
Remote Control	38-Key RF Remote	Buttons	3 Buttons
Output Method	1/2-Out Wired	Output Signal	PWM
MAX Output Current	Channel: 2A/Full Unit: 6A		



Product Model : SP614E			
Product Name	BT Music PWM RGBW Ctrl	Working Voltage	5V-24V DC
APP	BanlanX	Music Mode	Dual Mic, Audio Stream
Remote Control	38-Key RF Remote	Buttons	3 Buttons
Output Method	1/2-Out Wired	Output Signal	PWM
MAX Output Current	Channel: 2A/Full Unit: 6A		



Product Model : SP620E			
Product Name	USB BT Music RGB Ctrl	Working Voltage	5V-24V DC
APP	BanlanX	Music Mode	Dual Mic, Audio Stream
Remote Control	21-Key RF Remote	Pixel Count	600
Output Method	1 Output (Wired type)	Output Signal	SPI
Supported Driver IC	Conventional RZ protocol single-wire LED drive IC		



Product Model : SP621E			
Product Name	Mini BT Music RGB Ctrl	Working Voltage	5V-24V DC
APP	BanlanX	Output Signal	SPI
Output Method	1 Output (Wired type)	Pixel Count	600
Music Mode	Mobile phone Mic, Player streaming		
Supported Driver IC	Conventional RZ protocol single-wire LED drive IC		



Product Model : SP623E/SP624E			
Product Name	Mini BT RGB/RGBW Ctrl	Working Voltage	5V-24V DC
APP	BanlanX	Output Signal	PWM
Output Method	1 Output (Wired type)	Music Mode	Phone Mic & Stream
MAX Output Current	Channel:2A/Full Unit: 6A		



Product Model : RBX Series	
Product Name	2.4G RF Touch Remote Control
Working Voltage	3V(CR2025)
Transmission Frequency	2.4GHz
Remote Control Distance	30M (Open space)



Product Model : RBX Series	
Product Name	2.4G RF Touch Remote Control
Working Voltage	3V(CR2025)
Transmission Frequency	2.4GHz
Remote Control Distance	30M (Open space)



Product Model : RBX Series	
Product Name	2.4G RF Touch Remote Control
Working Voltage	3V(CR2025)
Transmission Frequency	2.4GHz
Remote Control Distance	30M (Open space)



Product Model : RBX Series	
Product Name	2.4G RF Touch Remote Control
Working Voltage	3V(CR2025)
Transmission Frequency	2.4GHz
Remote Control Distance	30M (Open space)



Product Model : RCX Series	
Product Name	2.4G RF Touch Remote Control
Working Voltage	3V(CR2025)
Transmission Frequency	2.4GHz
Remote Control Distance	30M (Open space)



Product Model : RCX Series	
Product Name	2.4G RF Touch Remote Control
Working Voltage	3V(CR2025)
Transmission Frequency	2.4GHz
Remote Control Distance	30M (Open space)



Product Model : RCX Series	
Product Name	2.4G RF Touch Remote Control
Working Voltage	3V(CR2025)
Transmission Frequency	2.4GHz
Remote Control Distance	30M (Open space)



Product Model : RCX Series	
Product Name	2.4G RF Touch Remote Control
Working Voltage	3V(CR2025)
Transmission Frequency	2.4GHz
Remote Control Distance	30M (Open space)



Product Model : SP801E			
Product Name	WiFi Art-Net Controller	Working Voltage	5V-24V DC
APP	BanlanX	Music Mode	Player streaming
Remote Control	None	Buttons	1 button
Output Method	Terminal Type	Output Signal	4 Independent Channels
Supported Driver IC	Single-Wire LED Drive IC	Pixel Count	1024*4



Product Model : SP802E			
Product Name	SPI RGB Matrix Ctrl	Working Voltage	5V-24V DC
APP	BanlanX	Output Signal	SPI
Output Method	1Output (Wired type)	Pixel Count	1024
Music Mode	Mobile phone Mic, Player streaming, On-board Mic		
Buttons/Indicators	3 Button, 1 Indicator		



Product Model : SP701E			
Product Name	Car Ambient Controller	Input Power	12V DC
APP	BanlanX	5V Power Output	5V2A(CC/CV)
Lighting Types	SPI: 3-Ch RGB Resettable Single-Wire Driver;PWM: 3-Ch PWM RGB		
Music Acquisition	Onboard high-sensitivity MIC acquisition		
SPI/PWM Voltage	SPI/PWM: 5V/5V,12V/12V,12V/5V,5V/12V		



Product Model : SP702E/SP-MIC			
Product Name	Underglow Controller	Power Input	12V-24V DC
APP	BanlanX	PWM Output	12V-24V DC
SP-MIC	5V DC, Type-C	SPI Output	12-24V DC, Max 10A
Music Acquisition	Wireless MIC Collection (Standard SP-MIC)		
Lighting Types	SPI: 3-Ch RGB Resettable Single-Wire Driver; PWM: 3-Ch PWM RGB		



Product Model : SP105E			
Product Name	BT Magic LED Ctrl	Working Voltage	5V-24V DC
APP	Magic-LED	Output Signal	DATA/CLK
Output Method	Terminal Type	Pixel Count	2048
Supported Driver IC	Common single line or double line LED driver ICs(Selectable in APP)		



Product Model : SP107E			
Product Name	BT Addressable Music Ctrl	Working Voltage	5V-24V DC
APP	LED Chord	Output Signal	DATA/CLK
Output Method	Terminal Type	Pixel Count	960
Music Mode	On-board Mic, On-board audio socket		
Supported Driver IC	Common single line or double line LED driver ICs(Selectable in APP)		



Product Model : SP108E			
Product Name	WiFi Addressable LED Ctrl	Working Voltage	5V-24V DC
APP	LED Shop	Output Signal	DATA/CLK
Output Method	Terminal Type	Pixel Count	2048
Supported Driver IC	Common single line or double line LED driver ICs(Selectable in APP)		



Product Model : SP110E			
Product Name	Mini BT Addressable Ctrl	Working Voltage	5V-24V DC
APP	LED Hue	Output Signal	DATA/CLK
Output Method	1Output (Wired type)	Pixel Count	1024
Supported Driver IC	Common single line or double line LED driver ICs(Selectable in APP)		



Product Model : SP002E			
Product Name	BT Music LED Ctrl	Working Voltage	5V-24V DC
APP	None	Music Mode	None
Buttons	3 Buttons	Output Method	1 Output (Wired type)
Output Signal	SPI	Pixel Count	600
Supported Driver IC	Conventional RZ protocol single-wire LED drive IC		




Product Model : SP103E			
Product Name	14-Key RF Addressable Ctrl	Working Voltage	5V DC/12V DC
APP	None	Music Mode	None
Remote Control	14-Key RF Remote Control	Output Method	1 Output (Wired type)
Output Signal	SPI	Pixel Count	2048
Supported Driver IC	Conventional RZ protocol single-wire LED drive IC		




Product Model : SP104E			
Product Name	17-Key RF Addressable Ctrl	Working Voltage	5V-24V DC
APP	None	Music Mode	None
Remote Control	17-Key RF Remote Control	Output Method	1 Output (Wired type)
Output Signal	SPI	Pixel Count	2048
Supported Driver IC	Conventional RZ protocol single-wire LED drive IC		



Product Model : SP106E			
Product Name	RF Addressable Music Ctrl	Working Voltage	5V-12V DC
APP	None	Music Mode	On-board Mic
Remote Control	9-Key RF Remote Control	Output Method	1 Output
Output Signal	SPI	Pixel Count	600
Supported Driver IC	Conventional RZ protocol single-wire LED drive IC		



Product Model : SP201E	
Product Name	DMX512 Decoder
Working Voltage	5V-24V DC
Two Working Modes	single offline control or multiple synchronous cascading
Function	Supports magic/colorful decode, channel adjust & dual-control



Product Model : SP901E	
Product Name	TTL Signal Amplifier
Working Voltage	5V-24V DC
Supported Signal	Suitable for all 5V-TTL dual signal
Signal I/O Ports	1 group of signal input port, 5 groups of signal output ports



Product Model : SP902E	
Product Name	Signal Amplifier For Addressable LED
Working Voltage	5V-24V DC
Signal Support	Supports TTL & RS485 signal inputs
Working Mode	Supports standalone or multi-unit interconnection

Shenzhen Senfey Lighting Technology Co., Ltd.